

2013 No. 561 (W. 64)

CLEAN AIR, WALES

**The Smoke Control Areas
(Exempted Fireplaces) (Wales)
Order 2013**

EXPLANATORY NOTE

(This note is not part of the Order)

This Order revokes and replaces with amendments the Smoke Control Areas (Exempted Fireplaces) (Wales) Order 2012 (S.I. 2012/244) (W.38).

Section 20 of the Clean Air Act 1993 (“the 1993 Act”) places a general prohibition on the emission of smoke in smoke control areas.

The Welsh Ministers may, by order made under section 21 of the 1993 Act, exempt, in relation to Wales, specified classes of fireplace from the provisions of section 20, if they are satisfied that such fireplaces can be used for burning fuel other than authorised fuels without producing any smoke or a substantial quantity of smoke.

Article 2 of this Order exempts the fireplaces listed in the first column of the Schedule to this Order from the provisions of section 20 of the 1993 Act, subject to the conditions in the second and third columns of that Schedule.

The Welsh Ministers' Code of Practice on the carrying out of Regulatory Impact Assessments was considered in relation to this Order. As a result, a regulatory impact assessment has been prepared as to the likely costs and benefits of complying with this Order. A copy can be obtained from the Welsh Government, Cathays Park, Cardiff, CF10 3NQ.

2013 No. 561 (W. 64)

CLEAN AIR, WALES

**The Smoke Control Areas
(Exempted Fireplaces) (Wales)
Order 2013**

Made 11 March 2013

Laid before the National Assembly for Wales
12 March 2013

Coming into force 3 April 2013

The Welsh Ministers in exercise of the powers conferred upon the Secretary of State by section 21 of the Clean Air Act 1993⁽¹⁾ and now vested in the Welsh Ministers⁽²⁾ so far as exercisable in relation to Wales, and being satisfied that the fireplaces exempted by this Order can be used for burning fuel other than authorised fuels without producing any smoke or a substantial quantity of smoke, make the following Order:

Title, commencement and application

1.—(1) The title of this Order is the Smoke Control Areas (Exempted Fireplaces) (Wales) Order 2013 and it comes into force on 3 April 2013.

(2) This Order applies in relation to Wales.

Fireplaces exempted from section 20 of the Clean Air Act 1993

2. The fireplaces described in the Schedule are, subject to the conditions listed, exempted from the provisions of section 20 of the Clean Air Act 1993

(1) 1993 c.11.

(2) The relevant functions of the Secretary of State were, so far as exercisable in relation to Wales, transferred to the National Assembly for Wales by virtue of article 2 of, and Schedule 1 to, the National Assembly for Wales (Transfer of Functions) Order 1999 (S.I. 1999/672). Those functions are now exercisable by the Welsh Ministers by virtue of section 162 of, and paragraph 30 of Schedule 11 to, the Government of Wales Act 2006 (c.32).

(which prohibits smoke emissions in smoke control areas).

Revocation

3. The Smoke Control Areas (Exempted Fireplaces) (Wales) Order 2012⁽¹⁾ is revoked.

John Griffiths

Minister for Environment and Sustainable Development,
one of the Welsh Ministers

11 March 2013

⁽¹⁾ S.I. 2012/244 (W. 38)

SCHEDULE

Article 2

EXEMPTED FIREPLACES

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
<p>18i and 60i stoves.</p> <p>Manufactured by Jetmaster Fires Ltd, Unit 2, Peacock Trading Estate, Goodwood Road, Eastleigh, Hampshire, SO50 4NT.</p>	<p>Installation and use instruction manual reference: “Part No 106870 Issue No. 1” dated February 2010 and supplementary instruction manual reference: “Part No 106872 Issue No. 1” dated May 2010.</p> <p>The appliance must be fitted with a mechanical stop to prevent closure of the air control beyond the 40% open position.</p>	Wood logs ⁽¹⁾ .
<p>Aarrow Signature 5 SC, Aarrow Ecoburn 5 SC, Hamlet Solution 5 SC and Villager Espirit 5 SC.</p> <p>Manufactured by Arada Ltd, The Fire Works, Millwey Industrial Estate, Axminster, Devon, EX13 5HU.</p>	<p>Instruction manual reference “Rev 02” dated April 2010.</p> <p>All the appliances must be fitted with a mechanical stop to prevent closure of the air control beyond 20mm from the closed position and 50 mm beyond the fully open position.</p>	Wood logs ⁽¹⁾ .
<p>Acquisitions Bloomsbury 5kW stove.</p> <p>Manufactured by Esse Engineering Limited, Ouzedale Foundry, Long Ing, Barnoldswick, Lancashire, BB18 6BN.</p>	<p>Instruction manual reference “01/12 (PP)” dated January 2012.</p> <p>The appliance must be fitted with a system that prevents the closure of the air controls beyond the 50% open position.</p>	Wood logs ⁽¹⁾ .
<p>Acquisitions Cannonbury 4 and 5.</p> <p>Manufactured by Esse Engineering Ltd, Ouzledale Foundry, Long Ing, Barnoldswick, Lancashire,</p>	<p>Installation and operating instruction manual reference “v71 of 09/11/2010” dated 09/11/2010.</p>	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
BB18 6BN.		
<p>Aduro 3D, 8D, 10D, 11D and Asgård 1D, 2D and 7D wood burning stoves.</p> <p>Distributed by Pevex Enterprises Ltd, Unit 16, Seven Acres Business Park, Waldringfield, Ipswich, IP12 4PS.</p>	<p>Instruction manual reference “Pexex1001/AH/ver1” and dated June 2011</p> <p>It must be fitted with permanent stops to ensure that the primary and secondary air controls do not close beyond 95% and 50% respectively.</p>	Dry wood logs ⁽¹⁾ .
<p>Aduro 9D wood burning stove.</p> <p>Distributed by Pevex Enterprises Ltd, Unit 16, Seven Acres Business Park, Waldringfield, Ipswich, IP12 4PS.</p>	<p>Instruction manual reference “Pevex1002/AH/ver1” and dated June 2011.</p> <p>It must be fitted with permanent stops to ensure that ensure the primary and secondary air controls do not close beyond 95% and 50% respectively.</p>	Dry wood logs ⁽¹⁾ .
<p>Alberg 7.</p> <p>Manufactured by Elite Group Trading Ltd, Room 1208, Kak Tak Commercial Building, 317-319 Des Voeux Road Central, Hong Kong, 999077.</p>	<p>The instruction manual reference “EGTL03A Version 1.4” dated 21 December 2012.</p>	Wood logs ⁽¹⁾ .
<p>Alpha I model number AL905-SE Wood Burning Stove.</p> <p>Manufactured by Hi-Flame Fireplace UK Limited, Unit 5A, Holmes Chapel Business Park, Manor Lane, Holmes Chapel, Cheshire, CW4 8AF.</p>	<p>Instruction manual reference “HF277-SE/UK-NI-ROI/V2D.18-07-12” dated July 2012.</p> <p>The appliance must be fitted with a mechanical stop to prevent closure of the main air control beyond the 50% open position.</p>	Wood logs ⁽¹⁾ .
<p>Alpha II model number AL907-SE Wood Burning Stove.</p> <p>Manufactured by Hi-Flame Fireplace UK Limited, Unit 5A, Holmes Chapel Business</p>	<p>Instruction manual reference “AL907-SE/UK-NI-ROI/V3-D.14-07-12” dated July 2012.</p> <p>The appliance must be fitted with a mechanical stop to prevent secondary air control</p>	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Park, Manor Lane, Holmes Chapel, Cheshire, CW4 8AF.	closure beyond the 20% open position, and a 70mm opening of the door rope seal to allow a constant flow of air.	
Angus Origno 200 18kW and 25kW gasification boilers. Manufactured by Eko-Vimar Orlanski Spółka z ograniczoną odpowiedzialnością, ul. Nyska 17 b, 48-385 Otmuchów, Poland.	Instruction manual reference “EV-20111002” dated October 2011.	Wood logs ⁽¹⁾ .
Angus Origno 200 40kW, 60kW and 80kW gasification boilers. Manufactured by Eko-Vimar Orlanski Spółka z ograniczoną odpowiedzialnością, ul. Nyska 17 b, 48-385 Otmuchów, Poland.	Instruction manual reference “EV- 20111002” dated October 2011.	Wood logs ⁽¹⁾ .
Angus Super 18, 25, 40, 60 and 80kW gasification boilers. Manufactured by Eko-Vimar Orlanski Spółka z ograniczoną odpowiedzialnością, ul. Nyska 17 b, 48-385 Otmuchów, Poland.	Instruction manual reference “EV- 20111001” dated October 2011.	Wood logs ⁽¹⁾ .
Apollo 8 inset stove. Manufactured by Chesneys Limited, 194-200 Battersea Park Road, London, SW11 4ND.	Instruction manual reference “CH8K Apollo – V2” dated 31 October 2011. The appliance must be fitted with a system that prevents closure of the air controls further than 40mm from open.	Wood logs ⁽¹⁾ .
Arimax Bio 300kW, Arimax Bio 400kW and Arimax Bio 500kW. Manufactured by Artierm Oy, Kimmo Kantalainen; PO Box 59; Fin – 43101; Saarijärvi,	Instruction manual reference “INSTALLATION AND OPERATION MANUAL Arimax Bio 120-3000 kW” dated 30/03/2010.	6-8mm wood pellets with a moisture content less than 10% ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Finland.		
Ariterm Ekerum 6kW pellet stove and Neptuni 6kW pellet stove. Manufactured by Ariterm Sweden AB, Flottiljvägen 15, 392 41 Kalmar, Sweden.	Instruction manual reference “ARITERM-SP-PX26868-B.2” dated 15/12/2011.	Wood pellets ⁽¹⁾ .
Ariterm Mysinge 6kW pellet stove. Manufactured by Ariterm Sweden AB, Flottiljvägen 15, 392 41 Kalmar, Sweden.	Instruction manual reference “ARITERM-SP-PX26868-B.1” dated 15/12/2011.	Wood pellets ⁽¹⁾ .
Ashwell Green-Tec 150 boiler. Manufactured by Ashwell Biomass Ltd, Unit 12, 35 Pinfold Road, Thurmaston, Leicester, LE4 8AT.	Instruction manual reference “ASH-gt150/101 Version 1.2” dated 06/2009.	Wood pellets ⁽¹⁾ .
Ashwell Green-Tec 195 boiler. Manufactured by Ashwell Biomass Ltd, Unit 12, 35 Pinfold Road, Thurmaston, Leicester, LE4 8AT.	Instruction manual reference “ASH-gt195/102 Version 1.2” dated 06/2009.	Wood pellets ⁽¹⁾ .
Ashwell Green-Tec 300 boiler. Manufactured by Ashwell Biomass Ltd, Unit 12, 35 Pinfold Road, Thurmaston, Leicester, LE4 8AT.	Instruction manual reference “ASH-gt300/103 Version 1.2” dated 06/2009.	Wood pellets ⁽¹⁾ .
Barbas ECO 40, 5 kW wood burning roomheater. Manufactured by Interfocos BV; Hallenstraat 17, NL-5531 AB, BLADEL, The Netherlands.	ECO 40 instruction manual, document Version 01-327332 dated October 2009.	Wood logs ⁽¹⁾ .
Barbas ECO 52 Stove.	Instruction manual reference “02 - 327332” dated March	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Interfocos, Hallenstraat 17, 5531 AB Bladel, The Netherlands.	2010.	
Barbas Unilux – 3 40, 5kW wood burning insert. Manufactured by Interfocos BV, Hallenstraat 17, NL – 5531 AB, BLADEL, The Netherlands.	Unilux – 3 40 instruction manual, document Version 01 – 326587 dated August 2009.	Wood logs ⁽¹⁾ .
Barbas Unilux 3- 52 Stove. Manufactured by Interfocos, Hallenstraat 17, 5531 AB Bladel, The Netherlands.	Instruction manual reference “03 - 326587” dated March 2010.	Wood logs ⁽¹⁾ .
Baxi Bioflo. Manufactured by Windhager Zentralheizung GmbH, Anton-Windhager-Str. 20, A-5201 Seekirchen bei Salzburg, Austria.	Operating instruction manual reference “720574401” dated 2010 and installation and servicing instruction manual reference “720574501” dated 2010.	Wood pellets ⁽¹⁾ .
Be Modern Monroe 5, Monroe 5, Be Modern Monterrey 5, Monterrey 5 and York Midi Multi Fuel Stoves. Manufactured by Broseley Fires Ltd, Knights Way, Battlefield Enterprise Park, Shrewsbury, Shropshire, SY1 3AB.	Instruction manual reference “OCT10/GB” dated 6th October 2010. The appliance must be fitted with a system that prevents the closure of the secondary air flaps to less than 8mm open position.	Wood logs ⁽¹⁾ .
Be Modern Monterrey 7, Monterrey 7, Be Modern Monroe 7 and Monroe 7 Multi Fuel Stoves. Manufactured by Broseley Fires Ltd, Knights Way, Battlefield Enterprise Park, Shrewsbury, Shropshire, SY1 3AB.	Instruction manual reference “OCT10/GB” dated 6th October 2010. The appliance must be fitted with a system that prevents the closure of the secondary air flaps to be less than 10mm open position.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
<p>The Binder Wood Fired Boiler models RRK 22 – 49 (49 kW output).</p> <p>Manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) Mitterdorfer Strasse 5, A-8572 Barnbach, Austria.</p>	<p>The manufacturer's and Wood Energy Limited's instructions entitled "Binder Equipment Installation, Commissioning and Maintenance" dated 17 May 2005, reference WELBinderManual rev0.doc, revision 0.</p>	Wood pellets or wood chips ⁽¹⁾ .
<p>The Binder Wood Fired Boiler models RRK 80 – 175 (75 – 149 kW output) with cyclone models ZA 80 – 175.</p> <p>Manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) Mitterdorfer Strasse 5, A-8572 Barnbach, Austria.</p>	<p>The manufacturer's and Wood Energy Limited's instructions entitled "Binder Equipment Installation, Commissioning and Maintenance" dated 17 May 2005, reference WELBinderManual rev0.doc, revision 0.</p>	Wood pellets or wood chips ⁽¹⁾ .
<p>The Binder Wood Fired Boiler model RRK 130 – 250 (185 - 230 kW output) 200-350 (250-300kW output) 400-600 (350-500 kW output) 640-850 (650-840kW output) with cyclone (model type ZA).</p> <p>Manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) Mitterdorfer Strasse 5, A-8572 Barnbach, Austria.</p>	<p>The manufacturer's and Wood Energy Limited's instructions entitled "Binder Equipment Installation, Commissioning and Maintenance" dated 17 May 2005, reference WELBinderManual rev0.doc, revision 0.</p>	Wood pellets or wood chips ⁽¹⁾ .
<p>The Binder Wood Fired Boiler model RRK 1000 (1200 kW output) with multi-cyclone (model MZA).</p> <p>Manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) Mitterdorfer Strasse 5, A-8572 Barnbach, Austria.</p>	<p>The manufacturer's and Wood Energy Limited's instructions entitled "Binder Equipment Installation, Commissioning and Maintenance" dated 17 May 2005, reference WELBinderManual rev0.doc, revision 0.</p>	Wood pellets or wood chips ⁽¹⁾ .
<p>The Binder Wood Fired Boiler model RRK 1200-1650 with Binder model MZA multi-</p>	<p>The manufacturer's and Wood Energy Limited's operating instructions for Binder</p>	Wood pellets or wood chips ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
cyclone and automatic ignition. Manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) Mitterdorfer Strasse 5, A-8572 Barnbach, Austria.	appliances reference “2009 July Binder O&M revision 8.doc Operation and Maintenance Manual, revision 8”, dated 15 July 2009.	
The Binder Wood Fired Boiler model RRK 1800-2300 with Binder model MZA multi-cyclone and automatic ignition. Manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) Mitterdorfer Strasse 5, A-8572 Barnbach, Austria.	The manufacturer’s and Wood Energy Limited’s Operating instructions for Binder appliances reference: “2009 July Binder O&M revision 8.doc Operation and Maintenance Manual, revision 8”, dated 15 July 2009.	Wood pellets or wood chips ⁽¹⁾ .
The Binder Wood Fired Boiler model RRK 2500-3000 with Binder model MZA multi-cyclone and automatic ignition. Manufactured by Binder Gesellschaft mit beschränkter Haftung (GmbH) Mitterdorfer Strasse 5, A-8572 Barnbach, Austria.	The manufacturer’s and Wood Energy Limited’s Operating instructions for Binder appliances reference: “2009 July Binder O&M revision 8.doc Operation and Maintenance Manual, revision 8“, dated 15 July 2009.	Wood pellets or wood chips ⁽¹⁾ .
Biomatic +20 boiler. Manufactured by Ariterm, Sweden AB, Flottiljvägen 15, 392 41 Kalmar, Sweden.	Instruction manual reference “ARITERM-VTT-S-07229-11.1” dated 21/05/2012.	Wood pellets ⁽¹⁾ .
Biomatic +20 light boiler and Biomatic +20 ultra light boiler. Manufactured by Ariterm, Sweden AB, Flottiljvägen 15, 392 41 Kalmar, Sweden.	Instruction manual reference “ARITERM-VTT-S-07229-11.2” dated 21/05/2012.	Wood pellets ⁽¹⁾ .
Biomatic +40 boiler. Manufactured by Ariterm, Sweden AB, Flottiljvägen 15, 392 41 Kalmar, Sweden.	Instruction manual reference “ARITERM-VTT-S-06765-11.1” dated 21/05/2012.	Wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
<p>Biomatic +40 light boiler and Biomatic +40 ultra light boiler.</p> <p>Manufactured by Ariterm, Sweden AB, Flottiljvägen 15, 392 41 Kalmar, Sweden.</p>	<p>Instruction manual reference “ARITERM-VTT-S-06765-11.2” dated 21/05/2012.</p>	<p>Wood pellets ⁽¹⁾.</p>
<p>The Biomatic 220 and 250 fitted with Zyklovent 220-250 cyclone separator.</p> <p>Manufactured by HERZ Armaturen Ges.m.b.H, Richard-Strauss-Straße 22, A-1230 Wien, Austria.</p>	<p>The manufacturer’s instructions dated April 2005, reference Bedienungsanleitung Englisch v2.0 doc.</p>	<p>Wood chips, wood pellets, or planed wood shavings ⁽¹⁾.</p>
<p>The Biomatic 300, 350, 400 and 500 fitted with Zyklovent 300-500 cyclone separator.</p> <p>Manufactured by HERZ Armaturen Ges.m.b.H, Richard-Strauss-Straße 22, A-1230 Wien, Austria.</p>	<p>The manufacturer’s instructions dated April 2005, reference Bedienungsanleitung Englisch v2.0 doc.</p>	<p>Wood chips, wood pellets, or planed wood shavings ⁽¹⁾.</p>
<p>Boru 4.9kW Stove.</p> <p>Manufactured by Righpur Ltd, T/A Boru Stoves, The Hive, Ballydine, Gooldscross, Ireland.</p>	<p>The Instruction manual reference “BFF010” dated 26/01/2011.</p> <p>The air controls must be fixed such they cannot be closed more than:</p> <ul style="list-style-type: none"> - Primary air slide 2mm; - Secondary air slide 2mm; - Tertiary air slide 30%. 	<p>Wood logs ⁽¹⁾.</p>
<p>Burley Brampton 8 kW stove.</p> <p>Manufactured by Burley Appliances, Lands' End Way, Oakham, Rutland, LE15 6RB.</p>	<p>Instruction manual reference “BUR/11/10” dated October 2011.</p>	<p>Wood logs ⁽¹⁾.</p>
<p>Burley Debdale 4 kW stove.</p> <p>Manufactured by Burley Appliances, Lands' End Way, Oakham, Rutland, LE15 6RB.</p>	<p>Instruction manual reference “BUR/11/10” dated October 2011.</p> <p>The radius of the air inlet hole must be 19mm.</p>	<p>Wood logs ⁽¹⁾.</p>

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Burley Hollywell SE. Manufactured by Burley Appliances Ltd., Lands' End Way, Oakham, Rutland, LE15 6RB.	The instruction manual reference "BUR/11/05" dated January 2011. The appliance must be fitted with an air plate that prevents the tertiary air controller from closing more than 17mm and opening more than 45mm.	Wood logs ⁽¹⁾ .
Bushman Large Commercial Pizza Oven. Manufactured by Dingley Dell Enterprises Ltd, PO Box 3534, Kidderminster Worcestershire, DY14 9ZE.	The Instruction manual reference "LCOINST" dated 01/2011.	Wood logs ⁽¹⁾ .
Bushman Large Domestic Pizza Oven. Manufactured by Dingley Dell Enterprises Ltd, PO Box 3534, Kidderminster Worcestershire, DY14 9ZE.	The instruction manual reference "LDOINST" dated 01/2011.	Wood logs ⁽¹⁾ .
Bushman Medium Commercial Pizza Oven. Manufactured by Dingley Dell Enterprises Ltd, PO Box 3534, Kidderminster Worcestershire, DY14 9ZE.	The instruction manual reference "MCOINST" dated 01/2011.	Wood logs ⁽¹⁾ .
Bushman Medium Domestic Pizza Oven. Manufactured by Dingley Dell Enterprises Ltd, PO Box 3534, Kidderminster Worcestershire, DY14 9ZE.	The instruction manual reference "MDOINST" dated 01/2011.	Wood logs ⁽¹⁾ .
Bushman Small Commercial Pizza Oven. Manufactured by Dingley Dell Enterprises Ltd, PO Box 3534,	The instruction manual reference "SCOINST" dated 01/2011.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Kidderminster Worcestershire, DY14 9ZE.		
Bushman Small Domestic Pizza Oven. Manufactured by Dingley Dell Enterprises Ltd, PO Box 3534, Kidderminster Worcestershire, DY14 9ZE.	The instruction manual reference "SDOINST" dated 01/2011.	Wood logs ⁽¹⁾ .
Carillon 4:3. Manufactured by LaNordica Spa, Via Summano 104 M. Precalcino, 36030, Vicenza, Italy.	The instruction manual reference "7196755-Rev.09" dated 22nd December 2010. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 40% open position.	Wood logs ⁽¹⁾ .
Carillon 16:9 Crystal. Manufactured by LaNordica Spa, Via Summano 104 M. Precalcino, 36030, Vicenza, Italy.	The instruction manual reference "7196755-Rev.09" dated 22nd December 2010. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 40% open position.	Wood logs ⁽¹⁾ .
Carron Dante SE. Manufactured by JIG UK Ltd, Hurlingham Business Park, Fulbeck Heath, Grantham, Lincolnshire, NG32 3HL.	The instruction manual reference "BHC401-406" dated 12th January 2011. The appliance must be fitted with a system preventing the closure of the secondary air control openings beyond 14mm.	Wood logs ⁽¹⁾ .
Carron Stove. Manufactured by JIG UK Ltd, Hurlingham Business Park, Fulbeck Heath, Grantham, Lincolnshire, NG32 3HL	The instruction manual reference '91-62351' dated July 2009.	Dry and split wood logs of a maximum length of 23cm ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Carron Stove SE. Manufactured by JIG UK Ltd, Hurlingham Business Park, Fulbeck Heath, Grantham, Lincolnshire, NG32 3HL.	Instruction manual reference “BHC501-506” dated 12th January 2011. The appliance must be fitted with a system preventing the closure of the secondary air control openings beyond 3mm.	Wood logs ⁽¹⁾ .
Carron 11kW SE Stove. Manufactured by JIG UK Ltd Hurlingham Business Park, Fulbeck Heath, Grantham, Lincolnshire, NG32 3HL.	Instruction manual reference “Carron 11kW Stove model September 2012 (Smoke Exempt)”. The appliance must be fitted with a modification to the secondary air control preventing closure beyond 4mm.	Wood logs ⁽¹⁾ .
CB800 Skagen. Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.	Instruction manual reference “JINHCE08 revE” dated 06/12/11 and instruction manual “JINHCE08SCK revB” dated 06/12/11. The appliance must be fitted with smoke control area kit JHCE0801.	Wood logs ⁽¹⁾ .
Charnwood C-Four stove. Manufactured by A.J Wells and Sons Ltd, Bishops Way, Newport, Isle of Wight, PO30 5WS.	Instruction manual reference “CFOUR V1” dated 08/2011.	Wood logs ⁽¹⁾ .
Charnwood C-Five wood burning stove. Manufactured by A.J Wells and Sons Ltd, Bishops Way, Newport, Isle of Wight PO30 5WS.	Instruction manual reference “C-series v2” dated 09/12. The appliance must be fitted with a mechanical stop that prevents the closure of the air control opening beyond the 58mm open position.	Wood logs ⁽¹⁾ .
Charnwood C-Six stove. Manufactured by A.J Wells and	Instruction manual reference “Ref. C-4 C-6 v1” dated March 2012.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Sons Limited, Bishops Way, Newport, Isle of Wight PO30 5WS.	The appliance must be fitted with a system that prevents the closure of the air control opening beyond 58mm of the open position.	
Charnwood C-Seven wood burning stove. Manufactured by A.J Wells and Sons Limited, Bishops Way, Newport, Isle of Wight PO30 5WS.	Instruction manual reference “C-series v2” dated 09/12. The appliance must be fitted with a mechanical stop that prevents the closure of the air control opening beyond the 64mm open position.	Wood logs ⁽¹⁾ .
Charnwood C-Eight wood burning stove. Manufactured by A.J Wells and Sons Limited, Bishops Way, Newport, Isle of Wight PO30 5WS.	Instruction manual reference “C-series v2” dated 09/12. The appliance must be fitted with a mechanical stop that prevents the closure of the air control opening beyond the 64mm open position.	Wood logs ⁽¹⁾ .
Charnwood Country 4 wood burning stove. Manufactured by A.J Wells and Sons Ltd, Bishops Way, Newport, Isle of Wight, PO30 5WS.	The modification instruction manual reference “TIS.95” dated 01/2011 and instruction manual “Country 4 MKII” dated 01/2011. The appliance must be fitted with the manufacturer’s smoke reduction kit to fix the minimum aperture of the secondary air inlets to a minimum of 21mm open.	Wood logs ⁽¹⁾ .
Charnwood Cove 1SR. Manufactured by A.J Wells and Sons Ltd, Bishops Way, Newport, Isle of Wight, PO30 5WS.	Installation and use instruction manual reference “COVE1SR01.10 Issue A”. The air control must be adjusted such that the minimum closure of the air control is equivalent to that found with the control pushed in 15mm from the fully open position.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Charnwood Island 1. Manufactured by A.J Wells and Sons Ltd, Bishops Way, Newport, Isle of Wight, PO30 5WS.	The instruction manual reference "Island I.II.III 12.10 IssueB" dated December 2010. It must be fitted with a stop bracket (Kit No. 010/AY83/S) to prevent the airwash flaps at the back of the stove from being closed beyond 2mm.	Wood logs ⁽¹⁾ .
Charnwood Island 2. Manufactured by A.J Wells and Sons Ltd, Bishops Way, Newport, Isle of Wight, PO30 5WS	The instruction manual reference "Island I.II.III 12.10 IssueB" dated December 2010. It must be fitted with a stop bracket (Kit No. 010/BY83/S) to prevent the airwash flaps at the back of the stove from being closed beyond 2mm.	Wood logs ⁽¹⁾ .
Charnwood Island 3. Manufactured by A.J Wells and Sons Ltd, Bishops Way, Newport, Isle of Wight, PO30 5WS	The instruction manual reference "Island I.II.III 12.10 IssueB" dated December 2010. It must be fitted with a stop bracket (Kit No. 010/CY83/S) to prevent the airwash flaps at the back of the stove from being closed beyond 2mm.	Wood logs ⁽¹⁾ .
Charnwood Tor stove. Manufactured by A.J Wells and Sons Ltd, Bishops Way, Newport, Isle of Wight, PO30 5WS.	Installation and use instruction manual reference "Tor 02.10 Issue A".	Wood logs ⁽¹⁾ .
Charnwood Tor Pico. Manufactured by A.J Wells and Sons Ltd, Bishops Way, Newport, Isle of Wight, PO30 5WS	The instruction manual reference "Tor & Tor Pico 12.10 IssueB" dated December 2010.	Wood logs ⁽¹⁾ .
Chesneys 4 Series (4.6kW) Stoves: Flatford 4; Hampstead 4, Alpine 4 also sold as: Sunbeam 4, Dakota 4, Providence 4, Pacific 4 also	The Chesneys 4 series instruction manual reference "CH4K-V4" dated 7 December 2009.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
<p>sold as: Milan 4, Murano 4, Apollo 4, Chelsea 4 also sold as: Wellington 4, Guernsey 4, Belgravia 4.</p> <p>Manufactured by Chesneys Ltd, 194-200 Battersea Park Road, London, SW1 14ND.</p>	<p>The appliance must be fitted with a mechanical stop to prevent closure of the air control beyond the 34mm open position.</p>	
<p>Chesneys Series 6 (7kW) Stoves: Flatford 6, Petworth 6, Barrington 6, Hampstead 6, Alpine 6 also sold as: Sunbeam 6, Dakota 6, Providence 6; Chelsea 6 also sold as: Wellington 6, Guernsey 6, Belgravia 6.</p> <p>Manufactured by Chesneys Ltd, 194-200 Battersea Park Road, London, SW1 14ND.</p>	<p>The Chesneys 6 series instruction manual reference "CH6K-V4" dated 7 December 2009.</p> <p>The appliance must be fitted with a mechanical stop to prevent closure of the air control beyond the 10mm open position.</p>	Wood logs ⁽¹⁾ .
<p>Classic model 25, 35, 40, 49 and 60 wood pellet boilers.</p> <p>Manufactured by Hargassner Gesellschaft mit beschränkter Haftung (GmbH), Gunderding 8, A-4952, Weng, Austria.</p>	<p>The manufacturer's installation manual for the Classic Pellet Boilers reference "No. 22, Pellet Boilers, Type Classic 25, 31, 35, 40, 49, 60, reference BA Classic 25L-60L Nr 21 0508".</p>	Wood pellets ⁽¹⁾ .
<p>Clean Air Systems CAS 200, 400 and 600 hand-fed airheaters.</p> <p>Manufactured by Inventair Ltd, Lancaster Road, Carnaby Industrial Estate, Bridlington, East Yorkshire, YO15 3QY.</p>	<p>The Handbook for CAS hand fired airheater range reference 24600H version 1 dated January 2011.</p>	Softwood, hardwood, medium density fibreboard (MDF) or chipboard offcuts ⁽¹⁾ .
<p>Clean Air Systems CAS 300 Max airheater and cyclone.</p> <p>Manufactured by Inventair Ltd, Lancaster Road, Carnaby Industrial Estate, Bridlington, East Yorkshire, YO15 3QY.</p>	<p>The Handbook for CAS 300 Max airheater range reference 300A version 1 dated January 2011.</p>	Chipped or sawdust softwood, hardwood, medium density fibreboard (MDF) or chipboard ⁽¹⁾ .
<p>Cleanburn CB900 Inset & Cleanburn CB900</p>	<p>Instruction manual reference "JINHCHN09 Slider Stop Rev</p>	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Sonderskoven Inset wood burning stoves. Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.	A" dated 17/01/12 and instruction manual "JINHCHN09 Rev F" dated 24/01/12. The appliance must be fitted with a mechanical stop to prevent secondary air control closure beyond the 20% open position.	
Cleanburn R4. Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.	Instruction manual reference "JINCLR04 Rev E" dated 02/12/11 and instruction manual "JINCLR04SCK revB" dated 05/12/11. The appliance must be fitted with "smoke control area kit JCLR0401".	Wood logs ⁽¹⁾ .
Clearburn Junior SE. Manufactured by Dean Forge Limited, Dean Prior, Buckfastleigh, Devon, TQ11 0LS.	Instruction manual reference "JRSE Issue 1" dated March 2012. The appliance must be fitted with a mechanical stop to prevent secondary air control closure beyond the 83mm open position.	Wood logs ⁽¹⁾ .
The Clearview Pioneer 400, Solution 400 and Pioneer Oven wood burning stoves. Manufactured by Clearview Stoves, More Works, Bishops Castle, Shropshire, SY9 5HH.	The manufacturer's instructions entitled "Operating Instructions Clearview Vision/Vision Inset/Pioneer & Solution" dated 1 July 2006, reference V1/42, stamped and signed "Smoke Control". The appliance must be fitted with a tamperproof mechanical stop on the air slide/damper.	Air-dried wood logs ⁽¹⁾ .
Contura 510, 520T, 550, 550A, 550W, 560T, 560K, 570, 580, 585, 590 and Contura T. Manufactured by Nibe AB,	The manufacturer's installation instructions IAV SE/EX 0726-6 611821 Lighting instruction BAV SA/EX 0717-2 611820.	Untreated dry wood with less than 20% moisture ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Box 134, 285 23 Markaryd, Sweden.	A permanent stop must be in place on the air inlet to prevent closure beyond the 20% open position.	
Contura 580W. Manufactured by Nibe AB, Box 134, 285 23 Markaryd, Sweden.	The manufacturer's installation instructions IAV SE/EX 0740-1 511911. A permanent stop must be in place on the air inlet to prevent closure beyond the 20% open position.	Untreated dry wood with less than 20% moisture ⁽¹⁾ .
Contura 750, 750A and 780. Manufactured by Nibe AB, Box 134, 285 23 Markaryd, Sweden.	Instruction manual reference "811064 BAV SE-EX C750/780-1". The appliance must be fitted with a mechanical stop to prevent closure beyond the 28% open position.	Wood logs ⁽¹⁾ .
Contura 810, Contura 820 T, Contura 850, Contura 860 T and Contura 880. Manufactured by NIBE Stoves, Box 134, SE-285 23 Markaryd, Sweden.	Instruction manual reference "811118 BAV SE-EX C800-1" dated 28/06/2011 and supplementary operating instructions "811142 BAV GB-2" dated June 2011. The appliance must be fitted with a mechanical stop to prevent air control closure beyond the 38% open position.	Wood logs ⁽¹⁾ .
Contura i4 Modern and Contura i4 Classic. Manufactured by Nibe AB, Box 134, 285 23 Markaryd, Sweden.	The instruction manual reference "811136 BAV C i4 GB-1" dated 04-07-2011 and supplementary operating instructions "811142 BAV GB-2" dated June 2011. It must be fitted with a mechanical stop to prevent closure beyond the 28% open position.	Dry wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Cove 2 SR. Manufactured by A.J Wells and Son Ltd. Of Bishops Way, Newport, Isle of Wight, PO30 5WS	The manufacturer's instruction manual reference "Cove2SR 07.09 IssB" dated July 2009. A permanent stop must be in place on air control to prevent closure beyond 14mm from the fully closed position.	Dry and split wood logs of a maximum length of 23cm ⁽¹⁾ .
Crator JS5500 multi-fuel stove. Manufactured by James Smellie Limited, Unit N, Leona Industrial Estate, Nimmings Road, Halesowen, West Midlands, B62 9JQ.	Instruction manual reference "Crator multi-fuel stove instruction manual Issue 1" dated June 2012.	Wood logs ⁽¹⁾ .
CTC Ecoflex 15 and 20. Manufactured by Enertech AB, Box 313, S-341 26 Ljungby, Sweden.	The manufacturer's instructions dated 20 February 2007, reference 161 505 27 06/1.	Wood pellets ⁽¹⁾ .
D'Alessandro GSA 130. Manufactured by D'Alessandro Termomeccanica, Contrada Cerreto, 55, 66010 Miglianico, Chieti, Italy.	Instruction manual reference "2.0-1-QGSA130XEN0612" dated 26/06/2012.	Wood chips ⁽¹⁾ .
D'Alessandro Termomeccanica CS and CSA boilers 40, 60, 80 and 100kW. Manufactured by D'Alessandro Termomeccanica, Contrada Cerreto, 55, 66010 Miglianico, Chieti, Italy.	Instruction manual reference "Ver. 2.0 - QCSA100XXIT0209 [UK SMOKE CONTROL]" dated 02/2009.	Wood pellets ⁽¹⁾ .
D'Alessandro Termomeccanica CS and CSA 130, 180, 230, 300 and 2000kW. Manufactured by D'Alessandro Termomeccanica, Contrada Cerreto, 55, 66010 Miglianico, Chieti, Italy.	Instruction manual reference "Ver. 2.0 - QCSA2000XEN0209 [UK SMOKE CONTROL]" dated 02/2009.	Wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
D'Alessandro Termomeccanica CS and CSA 400, 500, 650, 800, 950, 1300, 1650 and 2000kW. Manufactured by D'Alessandro Termomeccanica, Contrada Cerreto, 55, 66010 Miglianico, Chieti, Italy.	Instruction manual reference "Ver. 2.0 - QCSA2000XEN0209 [UK SMOKE CONTROL]" dated 02/2009. The appliance must be fitted with the optional multi-cyclone.	Wood pellets ⁽¹⁾ .
D'Alessandro Termomeccanica CSI 20kW. Manufactured by D'Alessandro Termomeccanica, Contrada Cerreto, 55, 66010 Miglianico, Chieti, Italy.	Instruction manual reference "Ver. 2.0 - QCSI100XXIT0209" dated 02/2009.	Wood pellets ⁽¹⁾ .
Dartmoor 5 SE. Manufactured by Dean Forge Limited, Dean Prior, Buckfastleigh, Devon, TQ11 0LS.	Instruction manual reference "DM5 Issue 1" dated March 2012. The appliance must be fitted with a mechanical stop to prevent secondary air control closure beyond the 30% open position.	Wood logs ⁽¹⁾ .
Design 800 Green wood burning stove. Manufactured by Bodart & Gonay Limited, Rue De Lambinon, 3 Harze, Belgium, 4920.	Instruction manual reference "07DH8000A" dated 11/11. The appliance must be fitted with a "UK kit for smokeless areas Design 800".	Wood logs ⁽¹⁾ .
Di Lusso R4. Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.	Instruction manual reference "JINDLU04 Rev E" dated 02/12/11 and instruction manual "JINDLU04SCK revB" dated 05/12/11. The appliance must be fitted with smoke control area kit JDLU0401.	Wood logs ⁽¹⁾ .
Dimplex SE Selbourne 5.	The instruction manual reference "SE Selbourne 5	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by ESSE Engineering Ltd, Ouzledale Foundry, Long Ing, Barnoldswick, Lancashire, BB18 6BN.	Issue 1" dated 08 2009. All appliances must be fitted with a mechanical stop to prevent closure beyond the 50% open position.	
Dovre Vintage 30 (DV-VIN30, DV-VIN30WH, DV-TBVIN30 and DV-TBVIN30WH), Dovre Vintage 35 (DV-VIN35, DV-VIN35WH, DV-TBVIN35 and DV-TBVIN35WH) and Dovre Vintage 50 (DV-VIN50, DV-VIN50WH, DV-TBVIN50 and DV-TBVIN50WH) stoves. Manufactured by Dovre N.V., Nijverheidsstraat 18, B-2381 Weelde, Belgium.	Instruction manual reference 03.27681.100 dated April 2011 and PM813 Issue 1 dated May 2012. The appliance must be fitted with a permanent stop preventing closure of the secondary air supply beyond 50%.	Wood logs ⁽¹⁾ .
The Dovre 250 (model DV-250). Manufactured by Dovre NV, Nijverheidsstraat 18, BE-2381 Weelde, Belgium.	The manufacturer's instructions, reference "PM250 Issue 1". A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 75% open position.	Untreated dry wood ⁽¹⁾ .
The Dunsley Yorkshire Stove. Manufactured by Dunsley Heat Ltd, Bridge Mills, Huddersfield Road, Holmfirth, Yorkshire HD9 3TW.	The manufacturer's instructions dated 5 August 1998, reference A/22160 as amended by those dated 4 December 2004, reference D13.	Untreated dry wood ⁽¹⁾ ; Peat or peat briquettes with, in either case, less than 25% moisture; Union Coal Briketts, manufactured by Rheinbraun AG of Germany comprising lignite compressed into briquettes of approx. 15cm in length with square ends and with a sulphur content not exceeding 1% of the total weight; CPL Wildfire, manufactured by Coal Products Ltd., Immingham, which comprise

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
		bituminous coal with a volatile content of 32-36% (as to approx. 96% of the total weight) and a cold cure resin binder (as to the remaining weight) are manufactured from those constituents by a process involving roll pressing, have an average weight of either 80-90 grams or 160-170 grams, and have a sulphur content not exceeding 1.8% of the total weight.
<p>The Dunsley Yorkshire Multifuel Stove.</p> <p>Manufactured by Dunsley Heat Ltd, Bridge Mills, Huddersfield Road, Holmfirth, Yorkshire HD9 3TW.</p>	<p>The manufacturer's instructions dated 5 August 1998, reference A/22160 as amended by those dated 4 December 2004, reference D13.</p>	<p>Untreated dry wood ⁽¹⁾;</p> <p>Peat or peat briquettes with, in either case, less than 25% moisture;</p> <p>Union Coal Briketts, manufactured by Rheinbraun AG of Germany comprising lignite compressed into briquettes of approx. 15cm in length with square ends and with a sulphur content not exceeding 1% of the total weight;</p> <p>CPL Wildfire, manufactured by Coal Products Ltd., Immingham, which comprise bituminous coal with a volatile content of 32-36% (as to approx. 96% of the total weight) and a cold cure resin binder (as to the remaining weight) are manufactured from those constituents by a process involving roll pressing, have an average weight of either 80-90 grams or 160-170 grams, and have a sulphur content not exceeding 1.8% of the total weight.</p>
<p>The Dunsley Yorkshire Multifuel Stove and Boiler.</p>	<p>The manufacturer's instructions dated 5 August 1998, reference A/22160 as</p>	<p>Untreated dry wood ⁽¹⁾;</p>

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Dunsley Heat Ltd, Bridge Mills, Huddersfield Road, Holmfirth, Yorkshire HD9 3TW.	amended by those dated 4 October 2004, reference GHD/DUN4B/1.	Peat or peat briquettes with, in either case, less than 25% moisture; Union Coal Briketts, manufactured by Rheinbraun AG of Germany comprising lignite compressed into briquettes of approx. 15cm in length with square ends and with a sulphur content not exceeding 1% of the total weight; CPL Wildfire, manufactured by Coal Products Ltd., Immingham, which comprise bituminous coal with a volatile content of 32-36% (as to approx. 96% of the total weight) and a cold cure resin binder (as to the remaining weight) are manufactured from those constituents by a process involving roll pressing, have an average weight of either 80-90 grams or 160-170 grams, and have a sulphur content not exceeding 1.8% of the total weight.
The Dunsley Yorkshire Woodburning Stove. Manufactured by Dunsley Heat Ltd, Bridge Mills, Huddersfield Road, Holmfirth, Yorkshire HD9 3TW.	The manufacturer's instructions dated 4 December 2004, reference D13W.	Untreated dry wood ⁽¹⁾ .
The Dunsley Yorkshire Woodburning Stove and Boiler. Manufactured by Dunsley Heat Ltd, Bridge Mills, Huddersfield Road, Holmfirth, Yorkshire HD9 3TW.	The manufacturer's instructions dated 4 December 2004, reference D13W together with the manufacturer's instructions dated 4 October 2004, reference GHD/DUN4B/1.	Untreated dry wood ⁽¹⁾ .
E-Compact 15 wood pellet	Instruction manual reference	6mm wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
stove boiler. Manufactured by Wood Energy Solutions, Donaskeigh, Tipperary, Co. Tipperary, Ireland.	“E-COMPACT 15 Outdoor Pellet Boiler v1.5” dated 05/2012.	
E-Compact 28 Pellet Boiler. Manufactured by Wood Energy Solutions Limited, Donaskeigh, Tipperary, Co. Tipperary, Ireland.	Instruction manual reference “Installation & Operation Manual V.2.1” dated 07/12.	6mm wood pellets ⁽¹⁾ .
Earlswood. Manufactured by ACR Heat Products Ltd, Unit One Weston Works, Weston Lane, Tyseley, Birmingham, B11 3RP.	The instruction manual reference “EW1MF technical manual” dated 02 2009. When the primary air control is in the closed position, it must remain permanently open by 5mm and be prevented from closing fully by a screw.	Wood logs ⁽¹⁾ .
Ecco Stove E580. Manufactured by Landy Vent UK Limited, Foster House, 2 Redditch Road, Studley, Warwickshire, B80 7AX.	Instruction manual reference “Ecco Stove 580 manual” dated 12/12/11.	Wood logs ⁽¹⁾ .
Ecco Stove E678. Manufactured by Landy Vent UK Ltd, Foster House, 2 Redditch Road, Studley, Warwickshire, B80 7AX.	The instruction manual reference “01/11/3” dated 28/01/2011. The appliance must be fitted with a system to fix the secondary air (airwash) to a 4mm open position.	Wood logs ⁽¹⁾ .
Ecco Stove E850. Manufactured by Landy Vent UK Ltd, Foster House, 2 Redditch Road, Studley, Warwickshire, B80 7AX.	The instruction manual reference “02/10” dated 10th October 2010. The appliance must be fitted with a system that prevents closure of the secondary air flaps beyond 4mm (3 turns).	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Ecofire Barbara wood pellet stove boiler. Manufactured by Palazzetti Lelio S.p.A, Via Roveredo 103, Porcia (PN), 33080, Italy.	Instruction manual reference “cod. 004770900” dated 10/2011 and supplementary information “Clean Air Act 1993 and Smoke Control Areas” reference 004723000 dated 01/2012.	Wood pellets ⁽¹⁾ .
Ecofire Giulia Idro, Ecofire Kelly Idro Plus and Ecofire Tania Idro wood pellet stove boilers. Manufactured by Palazzetti Lelio S.p.A, Via Roveredo 103, Porcia (PN), 33080, Italy.	Instruction manual reference “cod. 004770432” dated 02/2011 and supplementary information “Clean Air Act 1993 and Smoke Control Areas” reference 004723000 dated 01/2012.	Wood pellets ⁽¹⁾ .
Eco-Ideal Eco 1 Stove. Manufactured by Hunter Stoves Ltd., Unit 6, Old Mill Industrial Estate, Stoke Canon, Exeter, Devon EX5 4RJ.	The instruction manual reference “JINECO01 revC” dated 20/07/11. It must be fitted with a permanent stop that prevents closure of the secondary air slider beyond 30% open.	Dry wood logs ⁽¹⁾ .
Eco-Ideal Eco 2 Stove. Manufactured by Hunter Stoves Ltd., Unit 6, Old Mill Industrial Estate, Stoke Canon, Exeter, Devon EX5 4RJ.	The instruction manual reference “JINECO02 revC” dated 20/07/11. It must be fitted with a permanent stop that prevents closure of the secondary air slider beyond 30% open.	Dry wood logs ⁽¹⁾ .
Eco-Ideal Eco 4 Stove. Manufactured by Hunter Stoves Ltd., Unit 6, Old Mill Industrial Estate, Stoke Canon, Exeter, Devon EX5 4RJ.	The instruction manual reference “JINECO04 revC” dated 20/07/11.	Dry wood logs ⁽¹⁾ .
Eco-Ideal Eco 6 Stove. Manufactured by Hunter Stoves Ltd., Unit 6, Old Mill Industrial Estate, Stoke Canon, Exeter, Devon EX5 4RJ.	The instruction manual reference “JINECO06 revC” dated 20/07/11.	Dry wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
<p>Ellipse.</p> <p>Manufactured by LaNordica Spa, Via Summano 104 M. Precalcino, 36030, Vicenza, Italy.</p>	<p>The instruction manual reference “7196901-Rev.09” dated 22nd December 2010.</p> <p>It must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 40% open position.</p>	Wood logs ⁽¹⁾ .
<p>En-tech model ENP 10, 15, 18, 25 and 35 boilers.</p> <p>Manufactured by En-tech Energietechnikproduktion, Gesellschaft mit beschränkter Haftung (GmbH), Gewerbezone 3, A-9300 St Veit, Glan-Hunnenbrunn, Austria.</p>	<p>The manufacturer’s installation manual dated 11/2009, reference IMENP 10-35 11/2009 for the Firefox pellet boiler.</p>	Wood pellets ⁽¹⁾ .
<p>En-tech model PK15 and 25 boilers.</p> <p>Manufactured by En-tech Energietechnikproduktion, Gesellschaft mit beschränkter Haftung (GmbH), Gewerbezone 3, A-9300 St Veit, Glan-Hunnenbrunn, Austria.</p>	<p>The manufacturer’s installation manual dated 11/2009, reference IMPK PK 15/25 11/2009 EN for the Firefox pellet boiler.</p>	Wood pellets ⁽¹⁾ .
<p>En-tech model PK45 boilers.</p> <p>Manufactured by En-tech Energietechnikproduktion, Gesellschaft mit beschränkter Haftung (GmbH), Gewerbezone 3, A-9300 St Veit, Glan-Hunnenbrunn, Austria.</p>	<p>The manufacturer’s installation manual dated 11/2009, reference IMPK PK 45 11/2009 EN for the Firefox pellet boiler.</p>	Wood pellets ⁽¹⁾ .
<p>Endress USF-W 250.</p> <p>Manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.</p>	<p>The instruction manual reference “Operating and Maintenance manual Endress USF -W250” dated 03/2010. Reference EMAN – USFW250.</p>	Wood chips and pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Endress USF-W 350. Manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	The instruction manual references “Operating and Maintenance manual Endress USF –W350” dated 03/2010. Reference EMAN – USFW350.	Wood chips and pellets ⁽¹⁾ .
Endress USF-W 500. Manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	The instruction manual references “Operating and Maintenance manual Endress USF -W500” dated 03/2010. Reference EMAN – USFW500.	Wood chips and pellets ⁽¹⁾ .
Endress USF-W 800. Manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	The instruction manual references “Operating and Maintenance manual Endress USF –W800” dated 03/2010. Reference EMAN – USFW800.	Wood chips and pellets ⁽¹⁾ .
Endress USF-W 1000. Manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	The instruction manual reference “Operating and Maintenance manual Endress USF –W1000” dated 03/2010. Reference EMAN – USFW1000.	Wood chips and pellets ⁽¹⁾ .
Endress VR-S 300. Manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	The instruction manual reference “Operating and Maintenance manual Endress VR-S300” dated 03/2010. Reference EMAN – VRS300.	Wood chips and pellets ⁽¹⁾ .
Endress VR-W 400. Manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	The instruction manual reference “Operating and Maintenance manual Endress VR –W400” dated 03/2010. Reference EMAN – VRW400.	Wood chips and pellets ⁽¹⁾ .
Endress VR-W 600. Manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	The instruction manual reference “Operating and Maintenance manual Endress VR-W600” dated 03/2010. Reference EMAN – VRW600.	Wood chips and pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Endress VR-W 900. Manufactured by Endress Holzfeuerungsanlagen GmbH, Industriestraße 18, D-91593 Burgbernheim.	The instruction manual reference “Operating and Maintenance manual Endress VR-W900” dated 03/2010. Reference EMAN – VRW900.	Wood chips and pellets ⁽¹⁾ .
EOS 30 346kW output wood pellet boiler with multicyclone. Manufactured by Uniconfort srl, Via dell’Industria 21, 35018, San Martino Di Lupari (PD) Italy.	The use and maintenance manual reference “Uniconfort EOS30 Manual v1” dated July 2011.	Wood pellets ⁽¹⁾ .
EOS 35 407kW output wood pellet boiler with multicyclone. Manufactured by Uniconfort srl, Via dell’Industria 21, 35018, San Martino Di Lupari (PD) Italy.	The use and maintenance manual reference “Uniconfort EOS35 Manual v1” dated July 2011.	Wood pellets ⁽¹⁾ .
EOS 40 464kW output wood pellet boiler with multicyclone. Manufactured by Uniconfort srl, Via dell’Industria 21, 35018, San Martino Di Lupari (PD) Italy.	The use and maintenance manual reference “Uniconfort EOS40 Manual v1” dated July 2011.	Wood pellets ⁽¹⁾ .
EOS 60 700 kW output wood pellet boiler with multicyclone. Manufactured by Uniconfort srl. Via dell’Industria 21, 35018, San Martino Di Lupari, (PD) Italy.	The installation instruction manual reference “K135-07332 Uniconfort MUN v 2” dated September 2010.	6mm diameter wood pellets ⁽¹⁾ .
ESSE 100 SE Smoke Exempt woodburning stove. Manufactured by ESSE Engineering Ltd., Ouzledale Foundry, Long Ing, Barnoldswick, Lancashire, BB18 6BN.	Manufacturer’s instruction manual dated February 2009, reference 100 SE Issue 1.	Untreated dry wood with a maximum moisture content of 20% maximum length of 200 mm and maximum width or diameter of 120 mm ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Esse 100DD SE 5kW stove. Manufactured by ESSE Engineering Limited, Ouzedale Foundry, Long Ing, Barnoldswick, Lancashire, BB18 6BN.	Instruction manual reference “10/11 (PP) INSTR.ST-100DDSE/u” dated October 2011. The appliance must be fitted with a system to prevent closure of the air controls beyond the 50% open position.	Wood logs ⁽¹⁾ .
ESSE 125 SE. Manufactured by ESSE Engineering Ltd, Ouzledale Foundry, Long Ing, Barnoldswick, Lancashire, BB18 6BN.	Instruction manual reference "Esse 125SE Issue 1" dated 08 2009. The appliance must be fitted with a mechanical stop to prevent closure beyond the 50% open position.	Wood logs ⁽¹⁾ .
Esse 301 SE stove. Manufactured by ESSE Engineering Ltd., Ouzledale Foundry, Long Ing, Barnoldswick, Lancashire, BB18 6BN.	The instruction manual reference “v45” dated 09/11/2010. The primary air control must not be fully air tight when closed.	Wood logs ⁽¹⁾ .
Esse 350 stove. Manufactured by ESSE Engineering Ltd., Ouzledale Foundry, Long Ing, Barnoldswick, Lancashire, BB18 6BN.	The instruction manual reference “v45” dated 09/11/2010.	Wood logs ⁽¹⁾ .
Esse 1622 inset stove. Manufactured by ESSE Engineering Ltd, Ouzledale Foundry, Long Ing, Barnoldswick, Lancashire, BB18 6BN.	Installation and operation manual reference “1622/Integra INSET revision c” dated July 2010. The appliance must be fitted with a mechanical stop to fix secondary air control fully open.	Dry wood logs ⁽¹⁾ .
ETA HACK 20, 25, 35, 50, 70, 90, 130 and 200 woodchip boilers.	The instruction manual reference “HACK20-200_Bedienung_2011-06_EN”	Wood chips ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by ETA Heiztechnik Gesellschaft mit beschränkter Haftung (GmbH), A 4716, Hofkirchen an der Trattnach, Gewerbepark 1, Austria.	dated 06/2011. An integrated flue gas recirculation system must be used when using wood chips with a moisture content below 15%.	
ETA HACK 20, 25, 35, 50, 70, 90, 130 and 200 woodchip boilers. Manufactured by ETA Heiztechnik Gesellschaft mit beschränkter Haftung (GmbH), A 4716, Hofkirchen an der Trattnach, Gewerbepark 1, Austria.	The instruction manual reference "HACK20-200_Bedienun 2011-06_EN" dated 06/2011. An integrated flue gas recirculation system must be used when burning wood pellets.	Wood pellets ⁽¹⁾ .
ETA PC 20, 25 and 32 wood pellet boilers. Manufactured by ETA Heiztechnik Gesellschaft mit beschränkter Haftung (GmbH), A 4716, Hofkirchen an der Trattnach, Gewerbepark 1, Austria.	The instruction manual reference "PC20-32_Bedienung_2011-06_EN" dated 06/2011.	Wood pellets ⁽¹⁾ .
ETA PE-K 35, 50, 70 and 90 wood pellet boilers. Manufactured by ETA Heiztechnik GmbH, Christian Malecz, ETA Heiztechnik Gesellschaft mit beschränkter Haftung (GmbH), A 4716, Hofkirchen an der Trattnach, Gewerbepark 1, Austria.	The instruction manual reference "PE-K35-90_Bedienung_2011-06_EN" dated 06/2011.	Wood pellets ⁽¹⁾ .
ETA PU 7, 11 and 15 wood pellet boilers. Manufactured by ETA Heiztechnik GmbH, Gesellschaft mit beschränkter Haftung (GmbH), A 4716, Hofkirchen an der Trattnach, Gewerbepark 1, Austria.	The instruction manual reference "PU7-15_Bedienung_2011-06_EN" dated 06/2011.	Wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
ETA SH 20, 30, 40, 50 and 60 wood gasification boilers. Manufactured by ETA Heiztechnik GmbH, Gesellschaft mit beschränkter Haftung (GmbH), A 4716, Hofkirchen an der Trattnach, Gewerbeplatz 1, Austria.	The instruction manual reference “SH20-60_Bedienung_2011-06_EN” dated 06/2011.	Wood logs ⁽¹⁾ .
eVolution 4 Inset. Manufactured by Broseley Fires Ltd, Knights Way, Battlefields Enterprise Park, Shrewsbury, Shropshire, SY1 3AB.	Instruction manual reference “eVo 4&7 Inset MS11-11” dated 9 November 2011. The appliance must be fitted with a system to prevent closure of the secondary air control beyond the 15mm open position.	Wood logs ⁽¹⁾ .
eVolution 5 model number M-EVO5. Manufactured by; Broseley Fires Ltd, Knights Way, Battlefield Enterprise Park Shrewsbury, Shropshire, SY1 3AB.	The instruction manual reference “eVo 5 MS07-11” dated 8th July 2011. The appliance must be fitted with a system that prevents the closure of the air control to less than 70% open.	Wood logs ⁽¹⁾ .
eVolution 7 Inset. Manufactured by Broseley Fires Ltd, Knights Way, Battlefields Enterprise Park, Shrewsbury, Shropshire, SY1 3AB.	Instruction manual reference “eVo 4&7 Inset MS11-11” dated 9 November 2011. The appliance must be fitted with a system to prevent closure of the secondary air control beyond the 8mm open position.	Wood logs ⁽¹⁾ .
eVolution 26 boiler stove. Manufactured by Broseley Fires Ltd, Knights Way, Battlefields Enterprise Park, Shrewsbury, Shropshire, SY1 3AB.	Instruction manual reference “MS10-11c” dated 09/01/2012. The appliance must be fitted with a mechanical stop to prevent closure beyond the 40% open position.	Wood logs ⁽¹⁾ .
Evotherm P50, P100, P120,	The manufacturer’s	Wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
P150, P170, P200 pellet boilers Manufactured by Evotherm, Heiztechnik Vertriebs Gesellschaft mit beschränkter Haftung (GmbH), Seeleiten 24, AT 5120, St Pantaleon, Austria.	instructions 'Operating manual' reference 'Version 1/2010/Rev. 4.21'.	
The Extraflame: Babyfiamma, Bella and Bella Lux, Clementina Comfort Maxi, Contessa, Divina, Divina Plus and Divina Steel, Duchessa and Duchessa Steel, Ecologica, Esmeralda and Esmeralda Crystal, Falò 1CP, Falò 2CP and Falò 1XP, Isabella, Karolina, Preziosa, Manufactured by Extraflame S.p.a in Montecchio Precalcino (Vicenza), Italy.	The manufacturer's instructions dated 5 March 2007, reference 004275101 011.	Wood pellets ⁽¹⁾ .
The Extraflame Comfort Mini. Manufactured by Extraflame S.p.a in Montecchio Precalcino (Vicenza), Italy.	The manufacturer's instructions dated 2 October 2006, reference 004275115 REV 005.	Wood pellets ⁽¹⁾ .
The Extraflame Idro. Manufactured by Extraflame S.p.a in Montecchio Precalcino (Vicenza), Italy.	The manufacturer's instructions dated 28 August 2006, reference 004275128 REV 002.	Wood pellets ⁽¹⁾ .
The Extraflame Lucrezia Idro and Lucrezia Steel. Manufactured by Extraflame S.p.a in Montecchio Precalcino (Vicenza), Italy.	The manufacturer's instructions dated 12 July 2006, reference 004275110 REV 011.	Wood pellets ⁽¹⁾ .
FDC5 Stove. Manufactured by Charlton & Jenrick Ltd, Unit D, Stafford Park 2, Telford, Shropshire, TF3 3AR.	Instruction manual reference "FDC Issue 02" dated 04/12. The appliance must be fitted with a system that prevents	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	closure of the secondary air control slots beyond the 3.5mm open position.	
FDC5i inset stove. Manufactured by Charlton & Jenrick Ltd, Unit D, Stafford Park 2, Telford, Shropshire, TF3 3AR.	Instruction manual reference “FDCi Issue 06” dated 03/12. The appliance must be fitted with a system that prevents closure of the secondary air control slots beyond the 3.5mm open position.	Wood logs ⁽¹⁾ .
FDC5iT Taper inset stove. Manufactured by Charlton & Jenrick Ltd, Unit D, Stafford Park 2, Telford, Shropshire, TF3 3AR.	Instruction manual reference “FDCiT Issue 1” dated 04/12. The appliance must be fitted with a system that prevents closure of the secondary air control slots beyond the 5mm open position.	Wood logs ⁽¹⁾ .
FDC5iW Wide inset stoves. Manufactured by Charlton & Jenrick Ltd, Unit D, Stafford Park 2, Telford, Shropshire, TF3 3AR.	Instruction manual reference “FDCi Issue 06” dated 03/12. The appliance must be fitted with a system that prevents closure of the secondary air control slots beyond the 9mm open position.	Wood logs ⁽¹⁾ .
FDC5W Wide stove. Manufactured by Charlton & Jenrick Ltd, Unit D, Stafford Park 2, Telford, Shropshire, TF3 3AR.	Instruction manual reference “FDC Issue 02” dated 04/12. The appliance must be fitted with a system that prevents closure of the secondary air control slots beyond the 7mm open position.	Wood logs ⁽¹⁾ .
Fireball. Manufactured by LaNordica Spa, Via Summano 104 M. Precalcino, 36030, Vicenza, Italy.	The instruction manual reference “7196801-Rev.07” dated 22nd December 2010. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 40% open position.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
<p>Firefox 5 Clean Burn II, Gallery Classic 5 Clean Burn, Sirius 405 Clean Burn and Sirius 405 Classic Clean Burn.</p> <p>Manufactured by Percy Doughty & Co Ltd, Imperial Point, Express Trading Estate Stone Hill Road, Farnworth, Bolton, BL4 9TN.</p>	<p>The instruction manual reference “FF5CBII REV:A” dated June 2011.</p> <p>It must be fitted with a mechanical stop to prevent secondary air closure beyond the 50% open position.</p>	Dry wood logs ⁽¹⁾ .
<p>Firefox 5CB (4.9kW); Vega 100CB (4.9kW); Sirius 405CB (4.9kW); Flame 5CB (4.9kW).</p> <p>Manufactured by Percy Doughty & Co, Imperial Point, Express Trading Estate, Stonehill Road, Farnworth, Bolton, BL4 9TN.</p>	<p>The instruction manual reference “FFXCBA” dated January 2010.</p>	Wood logs ⁽¹⁾ .
<p>Firefox 8 Clean Burn, Gallery Classic 8 Clean Burn, Sirius 545 Clean Burn and Sirius 545 Classic Clean Burn.</p> <p>Manufactured by Percy Doughty & Co Ltd, Imperial Point, Express Trading Estate Stone Hill Road, Farnworth, Bolton, BL4 9TN.</p>	<p>The instruction manual reference “FF8CB REV:A” dated June 2011.</p> <p>It must be fitted with a mechanical stop to prevent secondary air closure beyond the 50% open position.</p>	Dry wood logs ⁽¹⁾ .
<p>Fireline FGi5 stove.</p> <p>Manufactured by Charlton & Jenrick Ltd, Unit D, Stafford Park 2, Telford, Shropshire, TF3 3AR.</p>	<p>Instruction manual reference “FGi.FPi.FXi Issue 06” dated 03/12.</p> <p>The appliance must be fitted with a system that prevents closure of the secondary air control slots beyond the 3.5mm open position.</p>	Wood logs ⁽¹⁾ .
<p>Fireline FP5W and FX5W Freestanding stove.</p> <p>Manufactured by Charlton & Jenrick Ltd, Unit D, Stafford Park 2, Telford, Shropshire, TF3 3AR.</p>	<p>Instruction manual reference “FX.FP.Issue 06” dated 03/12.</p> <p>The appliance must be fitted with a system that prevents closure of the secondary air control slots beyond the 7mm</p>	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	open position.	
Fireline FPi5T, FGi5T and FXi5T Taper inset stoves. Manufactured by Charlton & Jenrick Ltd, Unit D, Stafford Park 2, Telford, Shropshire, TF3 3AR.	Instruction manual reference “FXiT.FPiT.FGiT Issue 01” dated 03/12. The appliance must be fitted with a system that prevents closure of the secondary air control slots beyond the 5mm open position.	Wood logs ⁽¹⁾ .
Fireline FPi5W, FGi5W and FXi5W Wide inset stoves. Manufactured by Charlton & Jenrick Ltd, Unit D, Stafford Park 2, Telford, Shropshire, TF3 3AR.	Instruction manual reference “FGi.FPi.FXi Issue 06” dated 03/12. The appliance must be fitted with a system that prevents closure of the secondary air control slots beyond the 9mm open position.	Wood logs ⁽¹⁾ .
Fireline FXi 5kW, Fireline FPi 5kW, Fireline FX5 and Fireline FP5. Manufactured by Charlton and Jenrick Ltd, G1-G2 Halesfield 5, Telford, Shropshire, TF7 4QJ.	The instruction manual reference "Issue 03" dated 03/10. The appliance must be fitted with a system that prevents the closure of the secondary air control beyond the 3.5mm open position.	Wood logs ⁽¹⁾ .
The Firematic 25, 50, 90 and 150. Manufactured by HERZ Armaturen Ges.m.b.H, Richard-Strauss-Straße 22, A-1230 Wien, Austria.	The manufacturer’s instructions dated June 2005, reference “Bedienungsanleitung Firematic V 1.1 ENG doc”.	Chipped wood, wood pellets, or planed wood shavings ⁽¹⁾ .
Firematic 45 and 60. Manufactured by HERZ Armaturen Ges.m.b.H., Richard-Strauss-Straße 22, A-1230 Wien, Austria.	Instruction manual reference “05.007 Operating Instructions – FM (1Ph) 20 35 45 60 v2.3” dated “08/2009”.	Wood pellets conforming to ÖNORM M7135 with diameter of 6mm or wood chips up to a maximum size of 50mm and maximum water content 35% ⁽¹⁾ .
Firematic FM 130, FM 151,	Instruction manual reference	Wood chips and wood pellets

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
FM 180 and FM 199. Manufactured by Herz Energietechnik GmbH, Herzstraße 1, 7423 Pinkafeld, Austria.	“Operating Instructions Herz firematic 130 – 199 BioControl” version Betriebsanleitung firematic 20-201 BioControl Englisch V 3.1.	⁽¹⁾ ..
Firestorm 4.5 SE. Manufactured by The Heat Resistant Glass Company Limited, Unit 2, Bracewell Avenue, Poulton Industrial Estate, Poulton Le Fylde, FY6 8JF.	Instruction manual reference “4.5KW SE Issue (6928) 1” dated 28 April 2012. The appliance must be fitted with a stop that will only allow a minimum 3mm air gap between the air control plate and the appliance when the secondary air is turned down to its minimum position.	Wood logs ⁽¹⁾ .
Firestorm 6.5 SE. Manufactured by The Heat Resistant Glass Company Limited, Unit 2, Bracewell Avenue, Poulton Industrial Estate, Poulton Le Fylde, FY6 8JF.	Instruction manual reference “6.5KW SE Issue (6928) 3” dated 28 April 2012. The appliance must be fitted with a stop that will only allow a minimum air gap 6mm between the air control plate and the appliance when the secondary air is turned down to its minimum position.	Wood logs ⁽¹⁾ .
Firestorm 10 SE. Manufactured by The Heat Resistant Glass Company Limited, Unit 2, Bracewell Avenue, Poulton Industrial Estate, Poulton Le Fylde, FY6 8JF.	Instruction manual reference “10 KW SE Issue (6928) 2” dated 28 April 2012. The appliance must be fitted with a stop that will only allow a minimum air gap 6mm between the air control plate and the appliance when the secondary air is turned down to its minimum position.	Wood logs ⁽¹⁾ .
Firewarm 4SE stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference “FW468SE” dated 25/07/12. The appliance must be fitted with a system to prevent closure of the secondary air control beyond 5mm open.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Firewarm 06C inset stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference “FW06C” dated 26/07/12. The appliance must be fitted with a permanent stop to prevent closure of the secondary air control beyond 20% open.	Wood logs ⁽¹⁾ .
Firewarm 6SE stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference “FW468SE” dated 25/07/12. The appliance must be fitted with a system to prevent closure of the secondary air control beyond 75% from closed.	Wood logs ⁽¹⁾ .
Firewarm 8SE stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference “FW468SE” dated 25/07/12. The appliance must be fitted with a system to prevent closure of the secondary air control beyond 25% from closed.	Wood logs ⁽¹⁾ .
Firewarm 11C inset stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference “FW11C” dated 26/07/12. The appliance must be fitted with a permanent stop to prevent closure of the secondary air control beyond 20% open.	Wood logs ⁽¹⁾ .
Flatford 5K, Barrington 5K and Hampstead 5K wood burning stoves. Manufactured by Chesneys Limited, 192 – 200 Battersea Park Road, London, SW11 4ND.	Instruction manual reference “CH5K – V1” dated 14 March 2012. The appliance must be fitted with a mechanical stop to prevent secondary air control closure beyond the 18mm open position.	Wood logs ⁽¹⁾ .
Franco Belge Model 134 08 11 Savoy EA (8kW output) wood burning stove.	The Savoy EA Technical Manual, document reference 1290-1, reviewed 9 July 2009.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Franco Belge, Staub Fonderie SARL, Rue Orphée Variscotte, 59660, Merville, France.		
Franco Belge Model 134 08 09 Savoy Mk II Elegance multifuel stove with KEA 13408 smoke control kit. Manufactured by Franco Belge, Staub Fonderie SA, Rue Orphée Variscotte, 59660, Merville, France.	The Savoy EA Technical Manual, document reference 1290-1, reviewed 9 July 2009.	Wood logs ⁽¹⁾ .
Franco Belge Montfort MK2 wood burning stove. Manufactured by Franco Belge, Staub Fonderie SA, Rue Orphée Variscotte, 59660, Merville, France.	Instruction manual reference “1295-3” dated 17 November 2009. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 25% open position.	Wood logs ⁽¹⁾ .
Fröling Lambdamat commercial wood chip boiler models 500, 750 and 1000. Manufactured by Fröling Heizkessel-und Behälterbau Ges.m.b.H., Industriestraße 12, A-4710 Grieskirchen, Austria.	The “Lambdamat communal Operating and Installation Manual” reference B 069 01 04 of February 2004.	Wood chips ⁽¹⁾ .
Fröling P4 8, 15, 20, 25, 32, 38, 48 and 60 Pellet Boilers. Manufactured by Fröling Heizkessel-und Behälterbau Ges.m.b.H., Industriestraße 12, A-4710 Grieskirchen, Austria.	The manufacturer’s instruction manual reference “BO430408_en” dated July 2009.	Wood pellets with a diameter of 6mm ⁽¹⁾ .
Fröling P4 80 and P4 100 wood pellet boilers. Manufactured by Fröling Heizkessel- und Behälterbau, Ges.m.b.H., Industriestraße 12,	Instruction manual reference “B043 – Version 8” dated 05/2012.	Wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
A - 4710 Grieskirchen, Austria.		
<p>Froling S4 Turbo 15 15kW; Froling S4 Turbo 22 22kW; Froling S4 Turbo 28 28kW; Froling S4 Turbo 34 34kW; Froling S4 Turbo 40 40kW; Froling S4 Turbo 50 50kW; and Froling S4 Turbo 60 60kW.</p> <p>Manufactured by Froling Heizkessel und Behälterbau Ges. M.b.H., Industriestraße 12, A-4710 Grieskirchen, Austria.</p>	The Assembly Instruction manual “M0970208” dated November 2008 and Operating instruction manual “B0510108” dated November 2008.	Wood logs ⁽¹⁾ .
<p>Fröling T4 24, 30, 40, 50, 60, 75, 90, 100 and 110kW boilers.</p> <p>Manufactured by Fröling Heizkessel- und Behälterbau, Ges.m.b.H., Industriestraße 12, A - 4710 Grieskirchen, Austria.</p>	Instruction manual reference “B071 - Version 05” dated 05/2012.	Wood pellets or wood chips ⁽¹⁾ .
<p>The Fröling Turbomatic 28, 35, 48 and 55.</p> <p>Manufactured by Fröling Heizkessel-und Behälterbau Ges.m.b.H., Industriestraße 12, A-4710 Grieskirchen, Austria.</p>	<p>The fireplace must be installed in accordance with the manufacturer’s installation instructions dated November 2003, reference M 060 01 03.</p> <p>The fireplace must be maintained and operated in accordance with the manufacturer’s instructions dated August 2002, reference 99229a.</p>	Wood chips with less than 35% moisture content that meet ÖNORM (a) M 7133: 1998 size class G30 or wood pellets of 6mm diameter and a moisture content below 10% ⁽¹⁾ .
<p>The Fröling Turbomatic 85, 100 and 110.</p> <p>Manufactured by Fröling Heizkessel-und Behälterbau Ges.m.b.H., Industriestraße 12, A-4710 Grieskirchen, Austria.</p>	<p>The fireplace must be installed in accordance with the manufacturer’s installation instructions dated November 2003, reference M 060 01 03.</p> <p>The fireplace must be maintained and operated in accordance with the manufacturer’s instructions dated August 2002, reference</p>	Wood chips with less than 35% moisture content that meet ÖNORM (a) M 7133; 1998 size class G30 or G50, wood pellets of 6mm diameter and a moisture content below 10% ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	99229a.	
The Fröling Turbomat 150 and 220. Manufactured by Fröling Heizkessel-und Behälterbau Ges.m.b.H., Industriestraße 12, A-4710 Grieskirchen, Austria.	The manufacturer's instructions dated August 2003, reference BO310003.	Wood pellets, or wood chips ⁽¹⁾ .
The Fröling Turbomat 320 and 500. Manufactured by Fröling Heizkessel-und Behälterbau Ges.m.b.H., Industriestraße 12, A-4710 Grieskirchen, Austria.	The manufacturer's instructions dated November 2004, reference B0340004.	Wood pellets, or wood chips ⁽¹⁾ .
Fröling TX150 150kW boiler with Exhaust Gas Recirculation device. Manufactured by Fröling Heizkessel- und Behälterbau, Ges.m.b.H., Industriestraße 12, Austria.	The Installation Instruction manual reference "M1130009" dated 09/2010 and operating instruction manual "B 067 00 09" dated 09/2010.	Wood chips with a moisture content $\leq 30\%$ and a maximum cross sectional area of 5cm ² or wood pellets with a moisture content of $\leq 10\%$ and a maximum diameter of 10mm ⁽¹⁾ .
Fröling TX 200 199kW and TX 250 250kW boilers with Exhaust Gas Recirculation device. Manufactured by Fröling Heizkessel- und, Behälterbau Ges.m.b.H., Industriestraße 12, A - 4710 Grieskirchen, Austria.	Instruction manual reference "B067 – Version 03" dated 05/2012.	Wood pellets or wood chips ⁽¹⁾ .
Future Fires Panoramic FX1. Manufactured by Gen-Fab Limited, Swinton Bridge Industrial Estate, Whitelee Rd, Swinton, S64 8BH.	Instruction manual reference "PANFXREV2" dated 31/10/12.	Wood logs ⁽¹⁾ .
The Gilles HPK-RA 13 kW, 15 kW, 20 kW, 25 kW, 30 kW, 35 kW, 40 kW, 45 kW, 49 kW, 60 kW, 70 kW, 75 kW, 85 kW, 95 kW, 100 kW, 120 kW, and 145	The manufacturer's instructions dated January 2007, reference Gilles/0-145/1.	Wood pellets, or wood chips ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
kW. Manufactured by GILLES Energie-und Umwelttechnik GmbH, Koaserbauer Str. 16 A-4810 Gmunden, Austria.		
Gilles HPK-RA 160. Manufactured by Gilles Energie – und Umwelttechnik GmbH, Koaserbauer Str. 16A-4810 Gmunden, Austria.	The instruction and operating manuals “BD-200-01a-01” and dated 11/2008, “BD-200-01a-02” and dated 11/2008, “BD-200-01a-03” and dated 11/2008, “BD-200-01a-04” and dated 11/2008, “BD-200-01a-06” and dated 11/2008, “BD-200-03a-07” and dated 11/2008, and “BD-200-03a-09” and dated 11/2008.	Wood chips and wood pellets ⁽¹⁾ .
The Gilles HPK USK 150 kW, 180 kW, 240 kW and 300 kW. Manufactured by GILLES Energie-und Umwelttechnik GmbH, Koaserbauer Str. 16 A-4810 Gmunden, Austria.	The manufacturer’s instructions dated January 2007, reference Gilles/150-300/1.	Wood pellets, or wood chips ⁽¹⁾ .
The Gilles HPK USK 360 kW. Manufactured by GILLES Energie-und Umwelttechnik GmbH, Koaserbauer Str. 16 A-4810 Gmunden, Austria.	The manufacturer’s operating instructions dated January 2008, reference Gilles 360/1.	Wood pellets or wood chips ⁽¹⁾ .
Gilles HPKI-K 180, 195, 240, 300, 360, 450, 550, 700, 900, 995, 1200 and 1600. Manufactured by Gilles Energie – und Umwelttechnik GmbH, Koaserbauer Str. 16A-4810 Gmunden, Austria.	The instruction manual reference “Operating Instruction HPKI-K Underfeed Stoking. 1-general-hpki-k underfeed stoking” dated 11/2008.	Wood chips and pellets ⁽¹⁾ .
The Gilles UTSK 450 kW, 550 kW, 700 kW, 900 kW, 1200 kW, and 1600 kW Boilers. Manufactured by GILLES Energie-und Umwelttechnik	The manufacturer’s operating instructions dated January 2008, reference Gilles 360/1.	Wood pellets or wood chips ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
GmbH, Koaserbauer Str. 16 A-4810 Gmunden, Austria.		
Grant Spira Condensing Wood Pellet Boiler 6-26kW model number WPS626 and 9-36kW model number WPS936. Manufactured by Grant UK Ltd, Hopton House, Hopton Industrial Estate, Devizes, Wiltshire, SN10 2EU.	Instruction manual reference “IRL NO.012 Rev; 1” dated April 2012.	6mm wood pellets ⁽¹⁾ .
Greenflame 28 Pellet Boiler. Manufactured by Trianco Limited, Thorncliffe, Chapletown, Sheffield, S35 2PH.	Instruction manual reference “Installation & Operation Manual V.2.1” dated 07/12.	6mm wood pellets ⁽¹⁾ .
Guntamatic Biocom and Powercorn 50 and 75. Manufactured by GUNTAMATIC Heiztechnik GmbH A-4722 PEUERBACH Bruck 7, Austria.	The manufacturer’s instruction manual reference ‘GUN/BIO/OP/ VI/0709’ dated 29/7/09.	Wood pellets with a diameter of 6mm and a length of between 10 and 30 mm ⁽¹⁾ .
Guntamatic Biocom and Powercorn 100. Manufactured by GUNTAMATIC Heiztechnik GmbH A-4722 PEUERBACH Bruck 7, Austria.	The manufacturer’s instruction manual reference ‘GUN/BIO/OP/VI/0709’ dated 29/7/09.	Wood pellets with a diameter of 6mm and a length of between 10 and 30 mm, or wood chip less than 35% moisture content and meeting ÖNORM M 7133:1998 size class G30 ⁽¹⁾ .
Guntamatic Powerchip 50 and 75. Manufactured by Guntamatic Heiztechnik GmbH A-4722 PEUERBACH Bruck 7, Austria.	The manufacturer’s instruction manual reference ‘GUN/POW/OP/VI/0709’ dated 29/7/09.	Wood pellets with a diameter of 6mm and a length of between 10 and 30 mm ⁽¹⁾ .
Guntamatic Powerchip 100. Manufactured by GUNTAMATIC Heiztechnik GmbH A-4722 PEUERBACH	The manufacturer’s instruction manual reference ‘GUN/POW/OP/VI/0709’ dated 29/7/09.	Wood pellets with a diameter of 6mm and a length of between 10 and 30 mm, or wood chip less than 35% moisture content and meeting

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Bruck 7, Austria.		ÖNORM M 7133:1998 size class G30 ⁽¹⁾ .
Hamont CATfire 350 USZI pellet boiler fitted with CATfire 300 cyclone. Manufactured by Hamont Contracting and Trading, spol. s.r.o., Sedlište 227, postal code 739 36, district Frýdek-Mistek, Czech Republic.	The manufacturer's operating instruction reference "Operating Manual for Boilers CATfire 150-500kW" effective from 1/1/2008.	Wood pellets with a diameter of 6mm and a maximum length of 30 mm ⁽¹⁾ .
Hampstead 8, Hampstead LS 8, Hampstead XLS 8, Belgravia 8, Barrington 8, Petworth 8 and Flatford 8 stoves. Manufactured by Chesneys Limited, 194-200 Battersea Park Road, London, SW11 4ND.	Instruction manual reference "CH8K - V12" dated 31 October 2011. The appliance must be fitted with a system that prevents closure of the air controls further than 40mm from open and with a permanent stop that prevents closure of the secondary air slider beyond 30% open.	Wood logs ⁽¹⁾ .
Handöl 31, Handöl 31A, Handöl 32, Handöl 32A, Handöl 33T, Handöl 34T, Handöl 35T, Varde Ovne Look 1, Varde Ovne Look 2, Varde Ovne Look 3. Manufactured by NIBE AB Box 134, 285 23 Markaryd, Sweden.	The manufacturer's installation instructions IAV SE/EX 0811-4 511941 Lighting instructions BAV SE/EX H30 511942. A permanent stop must be in place on the air inlet to prevent closure beyond the 45% open position.	Untreated dry wood with less than 20% moisture ⁽¹⁾ .
Handöl 50, Handöl 51, Handöl 52, Handöl 52T, Handöl 53, Handöl 54, Handöl 54T, Handöl 51L, Varde Ovne S1, Varde Ovne S2, Varde Ovne S3. Manufactured by NIBE AB Box 134, 285 23 Markaryd, Sweden.	The manufacturer's installation instructions IAV SE/EX 0737-4 511866 Lighting instructions BAV SE/EX 0717-1 511865. A permanent stop must be in place on the air inlet to prevent closure beyond the 45% open position.	Untreated dry wood with less than 20% moisture ⁽¹⁾ .
Harrie Leenders Cylon; Harrie	The instruction manual	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
<p>Leenders Doran 160; Harrie Leenders Doran 190; Harrie Leenders Fuga S; Harrie Leenders Fuga eL; Harrie Leenders Stor; Harrie Leenders Signa.</p> <p>Manufactured by Harrie Leenders, Industrieweg 25, 5688 DP Oirschot, The Netherlands.</p>	<p>reference “Supplementary Instructions Amended June 2010”.</p> <p>The appliance must be fitted with a mechanical stop to prevent closure of the air slide beyond the 15mm open position.</p>	
<p>HDG Compact models 25/35 (25 kW, 35 kW) wood chip and pellet boilers.</p> <p>Manufactured by HDG Bavaria, Gesellschaft mit beschränkter Haftung (GmbH) Siemensstrasse 22, 84323 Massing, Germany.</p>	<p>The manufacturer’s operating instructions for the HDG Compact 25/35 with HDG Hydronic reference “HDG Compact Version V01” of April 2009.</p>	Wood chips or wood pellets ⁽¹⁾ .
<p>HDG Compact models 50/65 (50 kW, 65 kW) wood chip and pellet boilers.</p> <p>Manufactured by HDG Bavaria, Gesellschaft mit beschränkter Haftung (GmbH) Siemensstrasse 22, 84323 Massing, Germany.</p>	<p>The manufacturer’s operating instructions for the HDG Compact 50/65 with HDG Hydronic reference “HDG Compact Version V03” of April 2009.</p>	Wood chips or wood pellets ⁽¹⁾ .
<p>HDG Compact model 80 (80 kW) wood chip and pellet boiler.</p> <p>Manufactured by HDG Bavaria, Gesellschaft mit beschränkter Haftung (GmbH) Siemensstrasse 22, 84323 Massing, Germany.</p>	<p>The manufacturer’s operating instructions for the HDG Compact 80 with HDG Hydronic reference “HDG Compact Version V03” of April 2009.</p>	Wood chips or wood pellets ⁽¹⁾ .
<p>HDG Compact model 100 (100 kW) wood chip and pellet boiler; HDG Compact model 150, 200 (150 kW, 200 kW) wood chip and pellet boiler with model HDG 3113 cyclone.</p>	<p>The manufacturer’s operating instructions for the HDG Compact 100/150/200 reference “HDG Compact 100-200 Version V1” of July 2008.</p>	Wood chips or wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
<p>Manufactured by HDG Bavaria, Gesellschaft mit beschränkter Haftung (GmbH) Siemensstrasse 22, 84323 Massing, Germany.</p>		
<p>HDG Euro models 30, 40 and 50 (30 kW, 40 kW and 50 kW) wood log boilers.</p> <p>Manufactured by HDG Bavaria, Gesellschaft mit beschränkter Haftung (GmbH) Siemensstrasse 22, 84323 Massing, Germany.</p>	<p>The manufacturer's operating instructions for the HDG Euro 30/40/50 with Lambda Control 1 reference "HDG Euro V3.0 with HDG Lambda Control 1 Version V1" of June 2008.</p>	<p>Split wood logs of 500 mm length and maximum edge length of 120 mm and a residual moisture content of 20% ⁽¹⁾.</p>
<p>HDG Navaro models 20, 25 and 30 (20 kW, 25 kW and 30 kW) wood log boilers.</p> <p>Manufactured by HDG Bavaria, Gesellschaft mit beschränkter Haftung (GmbH) Siemensstrasse 22, 84323 Massing, Germany.</p>	<p>The manufacturer's operating instructions for the HDG Navora 20/25/30 with Lambda Control 1 reference "HDG Navora 20/25/30 with HDG Lambda Control 1 Version V2" of June 2008.</p>	<p>Split wood logs of 500 mm length and maximum edge length of 120 mm and a residual moisture content of 20% ⁽¹⁾.</p>
<p>Heat Design TR5c inset stove.</p> <p>Manufactured by Charlton & Jenrick Ltd, Unit D Stafford Park 2, Telford, Shropshire, TF3 3AR.</p>	<p>Instruction manual reference "TRc Issue 02" dated 04/12.</p> <p>The appliance must be fitted with a system that prevents closure of the secondary air control slots beyond the 3.5mm open position.</p>	<p>Wood logs ⁽¹⁾.</p>
<p>Heat Design TR5iT Taper inset stove.</p> <p>Manufactured by Charlton & Jenrick Ltd, Unit D, Stafford Park 2, Telford, Shropshire, TF3 3AR.</p>	<p>Instruction manual reference "TRiT Issue 01" dated 04/12.</p> <p>The appliance must be fitted with a system that prevents closure of the secondary air control slots beyond the 5mm open position.</p>	<p>Wood logs ⁽¹⁾.</p>
<p>Heat Design TR6c Wide inset stove.</p> <p>Manufactured by Charlton &</p>	<p>Instruction manual reference "TRc Issue 02" dated 04/12.</p>	<p>Wood logs ⁽¹⁾.</p>

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Jenrick Ltd, Unit D, Stafford Park 2, Telford, Shropshire, TF3 3AR.	The appliance must be fitted with a system that prevents closure of the secondary air control slots beyond the 9mm open position.	
Herz BioFire BF 500, BF 600, BF 800, and BF 1000. Manufactured by Herz Engietechnik GmbH, Herstrabel, 7423 Pinkafeld, Austria.	The instruction manual “Operating instructions HERZ BioFire 500 – 1000 Biocontrol” Reference “Betriebsanleitung Biofire 500-1000 Biocontrol Englisch V1.2.doc”.	Wood chips and pellets ⁽¹⁾ .
Herz Firematic FM 80 and Herz Firematic FM 100. Manufactured by Herz Engietechnik GmbH, Herstrabel, 7423 Pinkafeld, Austria.	The assembly and installation instructions “HERZ firematic 20 - 101 BioControl” Reference “04.001”, installation instructions “Herz Firematic (1Ph) 20-101”, as well as the operating instructions “HERZ firematic 20 - 101 BioControl” reference “Betriebsanleitung firematic 20-101 BioControl Englisch V 2.53.doc”.	Wood chips and pellets ⁽¹⁾ .
Heta Scanline 500D, 510D, 520D and 530D wood burning stoves. Distributed by Pevex Enterprises Ltd, Unit 16 Seven Acres Business Park, Waldringfield, Ipswich, IP12 4PS.	The instruction manual reference “Pevex1005/AH/ver2” and dated June 2011. The appliance must be fitted with permanent stops to ensure that the primary and secondary air controls do not close beyond 95% and 50% respectively.	Dry wood logs ⁽¹⁾ .
Heta Scanline 7D, 7AD, 7BD, 7CD and 7DD wood burning stoves. Distributed by Pevex Enterprises Ltd, Unit 16 Seven Acres Business Park, Waldringfield, Ipswich, IP12 4PS.	The instruction manual reference “Pevex1006/AH/ver2” dated June 2011. The appliance must be fitted with permanent stops to ensure that the primary and secondary air controls do not close beyond 95% and 50%	Dry wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	respectively.	
Highlander 5 Clean Burn. Manufactured by Dunsley Heat Ltd, Bridge Mills, Huddersfield, Holmfirth, West Yorkshire, HD9 3TW.	The manufacturer's instruction manual 'Highlander. The Dunsley-Enviroburn-5. Clean Burn Stove Installation and operating instructions, D12-01-09, D060-01-09, D13-01-09, D12-12-08.'	Wood logs conforming to BS EN 13240:2001 ⁽¹⁾ .
Highlander 7 Enviroburn Solo multi-fuel stove (product codes 00325, 00326 and 00327). Manufactured by Dunsley Heat Limited, Bridge Mills, Huddersfield Road, Holmfirth, Huddersfield, HD9 3TW.	Installation and operating instructions manual reference "ENVIRO 7 DB001" dated 15/6/2012. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air-wash beyond 2mm. Four fixed 5mm diameter air holes are provided for the tertiary air supply.	Dry wood logs ⁽¹⁾ .
Horse Flame Little Artemis model number HF277-SE wood burning stove. Manufactured by Hi-Flame Fireplace UK Limited, Unit 5A, Holmes Chapel Business Park, Manor Lane, Holmes Chapel, Cheshire, CW4 8AF.	Instruction manual reference "AL905-SE/UK-NI-ROI/V2-D.18-07-12" dated July 2012. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 3mm open position.	Wood logs ⁽¹⁾ .
Horse Flame Precision 1 model number HF905-SE. Manufactured by Hi-Flame Fireplace UK Ltd, Unit 5A, Holmes Chapel Business Park, Manor Lane, Holmes Chapel, Cheshire, CW4 8AF.	The instruction manual reference "HF905/UK-NI-ROI/V2.1-06-11" dated June 2011. The appliance must be fitted with a mechanical stop to prevent closure of the main air control beyond the 50% open position.	Wood logs ⁽¹⁾ .
Horse Flame Precision II model number HF907-SE wood burning stove.	Instruction manual reference "HF907-SE/UK-NI-ROI/V3-D. 14-07-12" dated July 2012.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Hi-Flame Fireplace UK Limited, Unit 5A, Holmes Chapel Business Park, Manor Lane, Holmes Chapel, Cheshire, CW4 8AF.	The appliance must be fitted with a mechanical stop to prevent secondary air control closure beyond the 20% open position, and a 70mm opening of the door rope seal to allow a constant flow of air.	
Hothouse 4SE stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference “HH468SE” dated 25/07/12. The appliance must be fitted with a system to prevent closure of the secondary air control beyond 5mm open.	Wood logs ⁽¹⁾ .
Hothouse 06C inset stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference “HH06C” dated 26/07/12. The appliance must be fitted with a permanent stop to prevent closure of the secondary air control beyond 20% open.	Wood logs ⁽¹⁾ .
Hothouse 6SE stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference “HH468SE” dated 25/07/12. The appliance must be fitted with a system to prevent closure of the secondary air control beyond 75% from closed.	Wood logs ⁽¹⁾ .
Hothouse 8SE stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference “HH468SE” dated 25/07/12. The appliance must be fitted with a system to prevent closure of the secondary air control beyond 25% from closed.	Wood logs ⁽¹⁾ .
Hothouse 11C inset stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road,	Instruction manual reference “HH11C” dated 26/07/12. The appliance must be fitted	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Dublin 12, Ireland.	with a permanent stop to prevent closure of the secondary air control beyond 20% open.	
Hotpod Unlimited; Hotpod Limited Edition. Manufactured by Hotpod LLP, PO Box 137, St Ives, Cornwall, TR26 2WW.	The instruction manual reference "Version 3" dated June 2011.	Wood logs ⁽¹⁾ .
The Hoval AgroLyt 20, 25, 35, 45 and 50. Manufactured by Hoval AG, Austrasse 70, 9490 Vaduz, Liechtenstein.	The manufacturer's technical information and installation instructions dated January 2006, reference 4 205 194/00 and 4 205 193/00 dated June 2006.	Wood logs with less than 20% moisture ⁽¹⁾ .
Hoval BioLyt Wood Pellet Boiler. Manufactured by Hoval Ltd, Northgate, Newark, Nottinghamshire, NG24 1JN.	The instruction manual reference 'Hoval Operating Instructions, wood pellet heating boiler BioLyt (50,70,120,140,160) dated 3/7/2008 and "Technical information assembly instructions" dated 3/10/2009.	Wood pellets ⁽¹⁾ .
The Hoval BioLyt 50 Wood Pellet Boiler (49kW thermal output). Manufactured by Hoval AG, Austrasse 70, 9490 Vaduz, Liechtenstein.	The manufacturer's technical information and installation instructions dated October 2005, reference 4 204794/00, and operating instructions dated January 2006, reference 4 204 793/01.	Wood pellets ⁽¹⁾ .
The Hoval BioLyt 50 and 70 models. Manufactured by Hoval AG, Austrasse 70, 9490 Vaduz, Liechtenstein.	The manufacturer's technical information and installation instructions dated June 2007, references 4 204 794/01 and 4 204 793/02.	Wood pellets ⁽¹⁾ .
Hoval BioLyt 160 pellet boiler. Manufactured by Hoval Ltd, Northgate, Newark, Nottinghamshire, NG24 1JN.	The instruction manual reference 'Hoval Operating Instructions, wood pellet heating boiler BioLyt (50,70,120,140,160) dated 3/7/2008 and 'Technical	Wood pellets. ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	information assembly instructions' dated 3/10/2009	
Hoval Forester MGS 150, 180, 240, 300, 360, 450, 550, 700, 900 boilers. Manufactured by Schmid AG, Wood firing systems PO Box 42, CH-8380 Eschikon Switzerland.	The relevant instruction manual reference "Hoval Forester MGS_MMXXXv1" (where XXX is the unit size for example 150) dated July 2011.	Wood pellets or wood chips following CEN/TS 14961 ⁽¹⁾ .
Hoval Forester UFS 180, 240, 300, 360, 450, 550, 700, 900, 1200, 1600. Manufactured by Schmid AG, Wood firing Systems, PO Box 42, CH-8360 Eschlikon, Switzerland.	The instruction manual reference "Forester UFS" dated November 2009.	Wood pellets or wood chips following CEN/TS 14961 ⁽¹⁾ .
The Hoval STU 150, 200, 250, 300, 350, 425 and 500. Manufactured by Hoval UK Ltd, Northgate, Newark-on-Trent, Nottinghamshire, NG24 1JN.	The manufacturer's technical information and installation instructions dated November 2007, reference STUman/01, or dated June 2008, reference STU/man/01/1.	Wood pellets ⁽¹⁾ .
The Hoval STU 600, 800 and 1000. Manufactured by Hoval UK Ltd, Northgate, Newark-on-Trent, Nottinghamshire, NG24 1JN.	Installation and operation manual referenced STU/man/01 dated 11/07 or the installation and operation manual referenced STU/man/01/1 dated June 2008.	Wood pellets ⁽¹⁾ .
HSV 50 + WTH 45, 49 or 55; HSV 80 + WTH 70 or 80; HSV 100 + WTH 100. Manufactured by Hargassner Gesellschaft mit beschränkter Haftung (GmbH), Gunderding 8, A-4952, Weng, Austria.	The manufacturer's installation manual version 44 for Wood Chip and Pellet Stoves, Type HSV 30-100. Reference "BA HSV30-100 RA/RAP V44 0608".	Wood chips or wood pellets ⁽¹⁾ .
Hunter Herald 4.	Instruction manual reference "JINH04 revC" dated	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.	22/09/2011 and “JINHH04&HHC05 Slider Stop revA” dated 22/07/11. The appliance must be fitted with a permanent stop that prevents closure of the secondary air slider beyond 30% open.	
Hunter Herald 5 Compact. Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.	Instruction manual reference “JINHHC05 revC” dated 22/09/2011 and “JINHH04&HHC05 Slider Stop revA” dated 22/07/11. The appliance must be fitted with a permanent stop that prevents closure of the secondary air slider beyond 30% open.	Wood logs ⁽¹⁾ .
Hunter Herald 5 Slimline. Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.	Instruction manual reference “JINHWW05 revC” dated 22/09/2011.	Wood logs ⁽¹⁾ .
Hunter Herald 6. Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.	Instruction manual reference “JINHH04 revC” dated 22/09/2011.	Wood logs ⁽¹⁾ .
Hunter Herald i4. Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.	Instruction manual reference “JINHVR04 Rev E” dated 02/12/11 and instruction manual “JINHVR04SCK revB” dated 05/12/11. The appliance must be fitted with “smoke control area kit JHVR0401”.	Wood logs ⁽¹⁾ .
The Huntingdon 25 clear door (model number 7057) and Huntingdon 25 tracery door	The manufacturer’s instruction manual, reference “PM 249 Issue 1”.	Untreated dry wood ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
(model number 7058). Manufactured by Stovax Ltd, Falcon Road, Sowerton Industrial Estate, Exeter, Devon EX2 7LF.	A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 75% open position.	
The Hwam Beethoven, Hwam Beethoven H, Hwam Mozart, Hwam Ravel, Hwam Vivaldi, Hwam 30 (4.5 kW nominal thermal output) Manufactured by HWAM Heat Design AS Nydamsvej 53, 8362 Hørning, Denmark.	Euroheat Distributors (HBS) Limited's operational instructions dated November 2006, reference IN1 141 Ed B. The appliance must be fitted with a mechanism to prevent closure of the air wash/secondary air control	Untreated dry wood ⁽¹⁾ .
The Insert 50 Crystal, Insert 70 and Insert 80 Crystal. Manufactured by LaNordica Spa, Via Summano 104 M. Precalcino, 36030, Vicenza, Italy.	The instruction manual reference "6096801-Rev.17" dated 22nd December 2010. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 40% open position.	Wood logs ⁽¹⁾ .
Insert 100 Crystal. Manufactured by, LaNordica Spa, Via Summano 104 M. Precalcino, 36030, Vicenza, Italy.	The instruction manual reference "6096801-Rev.17" dated 22nd December 2010.	Wood logs ⁽¹⁾ .
Instyle 400; Instyle 550. Manufactured by Dik Geurts Haardkachels BV; Industrieweg Oost 11, 6662 NE Elst (Gld), The Netherlands.	The instruction manual reference "Instruction_manual_Instyle_1209_ENG".	Wood logs ⁽¹⁾ .
Italy Built In. Manufactured by La Nordica Spa, Via Summano 104 M. Precalcino, 36030, Vicenza, Italy.	The instruction manual reference "7095401 Rev.02" dated 13/12/2010.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Italy Termo DSA; Termosuprema Compact DSA. Manufactured by LaNordica Spa, Via Summano 104 M. Precalcino, 36030, Vicenza, Italy.	The instruction manual reference “7095802 Rev.06” dated 01/02/2011.	Wood logs ⁽¹⁾ .
Ivanhoe JS5000 multi-fuel. Manufactured by James Smellie Limited, Unit N, Leona Industrial Estate, Nimmings Road, Halesowen, West Midlands B62 9JQ.	Instruction manual reference “Ivanhoe multi-fuel stove instruction manual Issue 1” dated June 2012.	Wood logs ⁽¹⁾ .
Jetmaster 18f stove. Manufactured by Jetmaster Fires Ltd, Unit 2, Peacock Trading Estate, Goodwood Road, Eastleigh, Hampshire, SO50 4NT.	The instruction manual reference “106870/18f/60f/Issue No.5” dated “June 2011”.	Dry wood logs ⁽¹⁾ .
Jotul F100 Stove. Manufactured by Jotul UK, Unit 1 The IOC Centre, Nash Road, Park Farm, Redditch, Worcestershire, B98 7AS.	The Instruction manual reference “129980” dated September 2002 and smoke control area modification reference “UK F100 SC appendix” dated 2010. The appliance must be fitted with a permanent stop that prevents the closure of the secondary air control beyond the 50% open position.	Wood logs ⁽¹⁾ .
Jotul F162, F163, F262 and F263. Manufactured by Jotul UK Limited, 1 The IO Centre, Nash Road, Redditch, B98 7AS.	Instruction manual reference “Jotul F162/F162C/F163 Manual Version Po6” dated January 2011 and Supplementary instruction manual “Jotul F162/F163/262/263 SMOKE” dated 01/01/2012. The appliance must be fitted with a mechanical stop to	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	prevent secondary air control closure beyond the 20% open position.	
Jydepejsen Country 510 and 760 5kW stoves. Manufactured by Jydepejsen A/S, Ahornsvinget 3-7, Nr.Felding, DK-7500, Holstebro, Denmark.	The instruction user manual "Country001" reference "Jydepejsen A/S - June 2011" dated June 2011. A permanent stop must be fitted to the secondary air control such that it cannot be closed less than 35%.	Wood logs ⁽¹⁾ .
KARA KW990 woodchip boiler. Manufactured by KARA Energy Systems B.V., P.O. Box 570, 7600 AN Almelo, Plesmanweg 27, 7602 PD Almelo, The Netherlands.	Instruction manual reference "Maintenance and Operation Guide KARA Wood Fired Boiler Version 2012.02" dated 26/07/2012.	Woodchip ⁽¹⁾ .
KÖB Pyromat-DYN (KPM-DYN) 45, 65, 85. Manufactured by Viessman Ltd, Hortonwood 30, Telford, Shropshire, TF1 7YP.	The instruction manual reference "ID 103689-L English" dated 01.01.2005 and instruction manual "ID: 103708-G English".	Wood logs (up to 0.5m) and off cuts of natural timber, wood chips and pellets ⁽¹⁾ .
KÖB Pyromat-ECO (KPM-ECO) models 35, 45, 55, 65, 75, 85. Manufactured by Viessman Ltd, Hortonwood 30, Telford, Shropshire, TF1 7YP.	The instruction manual reference "ID 104646-D English" dated 01.01.2005 and instruction manual "ID: 104642-B English".	Wood logs (up to 0.5m) and off cuts of natural timber ⁽¹⁾ .
KÖB Pyromat-ECO (KPM-ECO) models 61, 81, 101, 151. Manufactured by Viessman Ltd, Hortonwood 30, Telford, Shropshire, TF1 7YP.	The instruction manual reference "ID 104646-D English" dated 01.01.2005 and instruction manual "ID: 104642-B English".	Wood logs (up to 1.0m) and off cuts of natural timber ⁽¹⁾ .
KÖB Pyrot (KRT) models 100, 150, 220, 300, 400, 540.	The instruction manual reference "ID 104654-H English" dated 01.01.2005 and instruction manual "ID:	Wood chips or wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Viessman Ltd, Hortonwood 30, Telford, Shropshire, TF1 7YP.	106811-H English".	
KÖB Pyrtec (KPT) models 390, 530, 720, 950, 1250. Manufactured by Viessman Ltd, Hortonwood 30, Telford, Shropshire, TF1 7YP.	The instruction manual reference "ID 104661-F English" dated 01.01.2005 and instruction manual "ID: 105174-F English". The appliance must be fitted with multi-cyclone dedusters.	Wood chips or wood pellets ⁽¹⁾ .
Kooga Cleanburn Stove. Manufactured by Percy Doughty & Co; Imperial Point, Express Trading Estate, Stonehill Road, Farnworth, Bolton, BL4 9TN.	The instruction manual reference "KCB 04/10A" dated April 2010.	Wood logs ⁽¹⁾ .
KOZ550, 639kW pellet boiler. Manufactured by Kayalioglu Kasabasi (Izmir-Istanbul Yolu Uzeri), PK23 Akhisar/Manisa, Turkey.	The appliance must be used with a Glosfume model BMF 208 ceramic particulate filter. The Green Energy Engineering Ltd (GEE) KOZ550 pellet boiler owner/operator's manual reference version 1A 2010 dated December 2010. The Glosfume Ltd maintenance and instruction manual for Glosfume BMF Biomass filter units (50 to 1000kW) version AEE001-VER4 dated December 2010.	6mm diameter wood pellets ⁽¹⁾ .
KP12, KP22 and KP62 wood pellet boilers. Manufactured by PONAŠT spol. s r.o., Na Potůčkách 163, 757 01 Valašské Meziříčí, Czech Republic.	Service manual reference "QPP051-2" dated 25/05/2012 and instructions for operation manual "QPP049-3" dated 25/05/2012.	Wood pellets ⁽¹⁾ .
KWB Easyfire EF2 S/GS/V 8, 12, 15, 22, 25, 30 and 35 wood pellet boilers.	Operation manual reference "B KWB Easyfire EN, 05.2011" dated 05 2011 and installation	Wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by KWB – Kraft und Wärme aus Biomasse Gesellschaft mit Beschränkter Haftung (GmbH), Industriestrasse 235, A-8321 St. Margarethen an der Raab, Austria.	manual “M KWB Easyfire, 05.2011” dated 05/2011.	
KWB Multifire 15, 25, 30, 40, 50, 60, 80, 99 and 100 wood-pellet and wood-chip fired boilers. Manufactured by KWB – Kraft und Wärme aus Biomasse Gesellschaft mit Beschränkter Haftung (GmbH), Industriestrasse 235, A-8321 St. Margarethen an der Raab, Austria.	The fireplace(s) must be installed, maintained and operated in accordance with the manufacturer’s instructions dated August 2003, reference BA-USV 0803.	Wood chips and wood pellets ⁽¹⁾ .
KWB Multifire USV 49.5kW wood chip and wood pellet boiler. Manufactured by KWB – Kraft und Wärme aus Biomasse Gesellschaft mit Beschränkter Haftung (GmbH), Industriestrasse 235, A-8321 St. Margarethen an der Raab, Austria.	Instruction manual reference “BA Multifire 06.2010” dated June 2010.	Wood chips and wood pellets ⁽¹⁾ .
The KWB TDS Powerfire 130, 240 and 300. Manufactured by KWB – Kraft und Wärme aus Biomasse Gesellschaft mit Beschränkter Haftung (GmbH), Industriestrasse 235, A-8321 St. Margarethen an der Raab, Austria.	The manufacturer’s instructions dated 14 May 2008, reference BA TDS-05.2008, including specification of recommended fuels.	Wood pellets or wood chips ⁽¹⁾ .
The KWB TDS Powerfire 150. Manufactured by KWB – Kraft und Wärme aus Biomasse	The manufacturer’s instructions dated August 2005, reference BA TDS – 0805.	Wood pellets or wood chips ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Gesellschaft mit Beschränkter Haftung (GmbH), Industriestrasse 235, A-8321 St. Margarethen an der Raab, Austria.		
Lin-ka H 1500 Hot Water Boiler fitted with either a mono-cyclone (type LIN-KA 2000) or a multi-cyclone (type LIN-KA 3x2). Manufactured by LIN-KA Maskinfabrik A/S, Nylandsvej 38, DK-6940 Lem St. Denmark.	The instruction manual reference "LIN-KA H 1500 Hot Water Manual/Ver. 2005/Rev. 1.10" dated 27/01/2010.	Wood pellets of maximum 8mm diameter ⁽¹⁾ .
The Little Thurlow wood burning stove. Manufactured by Town and Country Fires Pickering, North Yorkshire.	The manufacturer's instructions dated 30 June 2007, issue No. 3.	Seasoned logs of less than 20% moisture and of a maximum length of 350mm ⁽¹⁾ .
Little Wenlock Classic SE Wood Fuel Stove. Manufactured by Aga, Station Road, Ketley, Telford, Shropshire, TF1 5AQ.	Operating instructions dated 19 December 2008, reference N00471AXX Rev 001 DP 081219.	Dry and split wood logs of a maximum length of 25cm and a maximum diameter of 10cm ⁽¹⁾ .
Lotus Liva 1, Liva 2, Liva 3 and Liva 4G stoves. Manufactured by Lotus Heating Systems A/S; Agertoften 6, 5550 Langeskov, Denmark.	The instruction manual "Mounting and User Instructions Lotus-Liva series Stoves" Version 4 dated January 2010.	Wood logs ⁽¹⁾ .
Lotus Sola, Sola S, Sola M and Sola MST stoves. Manufactured by Lotus Heating Systems A/S, Agertoften 6, 5550 Langeskov, Denmark.	The instruction manual "Mounting and User Instructions Lotus-Sola series Stoves" Version 2 dated January 2010.	Wood logs ⁽¹⁾ .
The Løvenholm.	The manufacturer's installation	Untreated wood with less than

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Hunter Stoves Ltd, Unit 6, Old Mill Industrial Estate, Stoke Canon, Exeter, Devon EX5 4RJ.	and operation manual version 07/08.	20% moisture content ⁽¹⁾ .
The Løvenholm, Løvenholm Traditional, European and Pedestal Stoves. Manufactured by Hunter Stoves Ltd, Unit 6, Old Mill Industrial Estate, Stoke Canon, Exeter, Devon EX5 4RJ.	The manufacturer's instructions "Løvenholm Multifuel stove installation and operating manual" version 06/09.	Untreated wood with less than 20% moisture content ⁽¹⁾ .
Loxton 3 stoves. Manufactured by Mendip Stoves Limited, Unit H1, Mendip Industrial Estate, Mendip Road, Rooksbridge, Somerset, BS26 2UG.	Instruction manual reference "Mendip Stoves Ltd, 2012, ver 3" dated July 2012. The appliance must be fitted with a permanent stop to fix the secondary air control such that it cannot be closed more than 25% open.	Wood logs ⁽¹⁾ .
Loxton 5, Churchill 5 and Sqabox Uno stoves. Manufactured by Mendip Stoves Limited, Unit H1, Mendip Industrial Estate, Mendip Road, Rooksbridge, Somerset, BS26 2UG.	Instruction manual reference "Mendip Stoves Ltd, 2012, ver 3" dated July 2012. The appliance must be fitted with a permanent stop such that the secondary air 'closed position' results in a 2.5mm gap in the two secondary air openings.	Wood logs ⁽¹⁾ .
Loxton 6, Loxton 8, Churchill 6, Churchill 8 and Sqabox Duo stoves. Manufactured by Mendip Stoves Limited, Unit H1, Mendip Industrial Estate, Mendip Road, Rooksbridge, Somerset, BS26 2UG.	Instruction manual reference "Mendip Stoves Ltd, 2012, ver 3" dated July 2012. The appliance must be fitted with a permanent stop on the secondary air control such that it cannot be closed more than 35% open.	Wood logs ⁽¹⁾ .
Ludlow Wood Burning Smoke Exempt Stove (Ludlow Stove SE).	The instruction manual reference "N00529AXX REV:001" dated 13th July	Dry wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Aga, Station Road, Ketley, Telford, Shropshire, TF1 5AQ.	2011.	
Marvic Multifuel Cassette (inset) roomheater. Manufactured by Wanders Fires & Stoves, Amtweg 4, Netterden, NL-7077 AL, The Netherlands.	Instruction manual reference “INK.00.7927” dated 20/12/2011. The appliance must be fitted with a modification to the secondary air control to ensure that the air supply holes remain 3mm open when the operator has nominally shut the control.	Wood logs ⁽¹⁾ .
Meg 5.0 stove and Sirius 600 Inset stove. Manufactured by F.E Robinson, (Hooton) Ltd, Station Works, Hooton Road, Hooton, South Wirral, CH66 7NF.	Instruction manual reference “Manual Version 1.3” dated 27/07/2012. The appliance must be fitted with a mechanical stop to prevent secondary air control closure beyond the 10mm open position.	Wood logs ⁽¹⁾ .
MEG 7.5/Sirius 750 and MEG 4.5/Sirius 450. Manufactured Meg Stoves, F.E. Robinson (Hooton) Ltd, Station Works, Hooton Road, Hooton, South Wirral, CH66 7NF.	The instruction manual reference “ Meg Solid Fuel Stoves Manual (107)” dated 28th January 2011.	Wood logs ⁽¹⁾ .
Mendip SE Wood Burning 5kW Space Heating Stove. Manufactured by TR Engineering Limited, Unit 7, Newton Chambers Way, Thorncliffe Industrial Estate, Chapeltown, Sheffield, S35 2PH.	Instruction manual reference “700273 Iss. 2 Rev. 1” dated January 2012.	Wood logs ⁽¹⁾ .
Mendip SE Wood Burning 8kW Space Heating Stove. Manufactured by TR	Instruction manual reference “700275 Iss. 2 Rev. 1” dated January 2012.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Engineering Limited, Unit 7, Newton Chambers Way, Thorncliffe Industrial Estate, Chapelton, Sheffield, S35 2PH.		
The Mescoli PB50, PB35, PB28. Manufactured by MESCOLI CALDAIE S.r.l. Caldaie- Termocucine, Via del Commercio, 285 4 1058 Vignola, (MO) Italy.	The manufacturer's instruction and installation manual reference 'SY315EVO P,C,B- COMBIFIRE 2 PB28/35/50 BOILERS' Edition 1.7 Dated 1/2006.	Wood pellets following ÖNORM M7 135 or DIN plus (DIN 51731) ⁽¹⁾ .
Micromet MEG 7.5 (also known as the Sirius 750); Micromet MEG 4.5 (also known as the Sirius 450). Manufactured by Micromet, 125 Bridge St, Birkenhead, Merseyside, CH41 1BD.	The instruction manual reference "Micromet Solid Fuel Stoves Manual (24)" dated 16/06/2010.	Dry wood logs ⁽¹⁾ .
Milan Series 4. Manufactured by Chesney's Ltd, 194 – 200 Battersea Park Road, London, SW11 4ND.	The instruction manual reference "CH4K Milan-V2" dated 18 November 2010. The appliance must be fitted with a system to prevent closure of the air control beyond the 25mm open position.	Wood logs ⁽¹⁾ .
Milan Series 6. Manufactured by Chesney's Ltd, 194 – 200 Battersea Park Road, London, SW11 4ND.	The instruction manual reference "CH6K Milan-V2" dated 18 November 2010. The appliance must be fitted with a system to prevent closure of the air control beyond the 40mm open position.	Wood logs ⁽¹⁾ .
Monaco multifuel Stove, Staub Fonderie-Franco Belge model 1340605. Manufactured by Staub	The instruction manual reference "1303 - 1" dated 04/05/2010. The appliances must be fitted	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Fonderie-Franco Belge, Rue Orphee Variscotte, BP73, 59660 Merville, France.	with a mechanical stop to prevent closure of the secondary air control beyond 4mm from closed.	
Morsø-Ø4. Manufactured by MORSØ UK Ltd, Unit 7 - io centre, Valley Drive, Swift Valley, Rugby, Warwickshire, CV21 1TW.	The instruction manual reference “Ø- Collection” dated 01.02.2010 and instruction manual “72000400” dated 01.02.2010. Applies to units manufactured after 01 February 2010.	Wood logs ⁽¹⁾ .
The Morsø 1400 series consisting of the 1412 and 1442 models. Manufactured by Morsø Jernestøberi A/S DK-7900 Nykøbing, Mors, Denmark.	The manufacturer’s instructions dated 10 January 2008, reference 72146800.	Wood logs with less than 20% moisture ⁽¹⁾ .
Morsø 1416, 1418, 1446 and 1448 4 kW stoves. Manufactured by Morsø UK Limited, Unit 7, The io Centre, Valley Drive, Swift Valley, Rugby, CV21 1TW.	Instruction manual reference “Morsø 1416, 1418, 1446 & 1448. Instruction for Installation and use” dated 31/01/2012. Part No: 72150000.	Wood logs ⁽¹⁾ .
The Morsø 3100 series consisting of the 3112 and 3142 models. Manufactured by Morsø Jernestøberi A/S DK-7900 Nykøbing, Mors, Denmark.	The manufacturer’s instructions dated 4 February 2008, reference 72311200.	Wood logs with less than 20% moisture ⁽¹⁾ .
The Morsø 6140 series consisting of the 6140 and 6148 models. Manufactured by Morsø Jernestøberi A/S DK-7900 Nykøbing, Mors, Denmark..	The manufacturer’s instructions dated 4 September 2007, reference 72610400.	Wood logs with less than 20% moisture ⁽¹⁾ .
Morsø Model 7600 including Model 7642, 7644 and 7648.	The instructions for installation and use 7600 reference “72762200” dated 14.07.2010.	Wood logs with less than 20% moisture ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by MORSØ UK Ltd, Unit 7, The io centre, Valley Drive, Swift Valley, Rugby, Warwickshire, CV21 1TW.	The air control must have been altered such that this equates to an increased minimum open position. Reference drawings Morsø 7600-137, 7600-138, 7600-139, 7600-140 and 7600-141.	
The Morsø Owl 3410, 3420 and 3440 for wood burning Manufactured by Morsø Jernestøberi A/S DK-7900 Nykøbing, Mors, Denmark.	The manufacturer's instructions dated 1 January 2000, reference 72345600.	Untreated dry wood which has been split, stacked and air dried; or air dried wood briquettes ⁽¹⁾ .
Morsø S10-40 5 kW stove. Manufactured by Morsø UK Limited, Unit 7, The io Centre, Valley Drive, Swift Valley, Rugby, CV21 1TW.	Instruction manual reference "Morsø S10. Instruction for Installation and use" dated 31/01/2012. Part No: 72104000.	Wood logs ⁽¹⁾ .
Morsø S10-70 5 kW stove. Manufactured by Morsø UK Limited, Unit 7, The io Centre, Valley Drive, Swift Valley, Rugby, CV21 1TW.	Instruction manual reference "Morsø S10-70. Instruction for Installation and use" dated 31/01/2012. Part No: 72103000.	Wood logs ⁽¹⁾ .
Morsø S11-40, S11-42, S11-43 and S11-90 4 kW stoves. Manufactured by Morsø UK Limited, Unit 7, The io Centre, Valley Drive, Swift Valley, Rugby, CV21 1TW.	Instruction manual reference "Morsø S11. Instruction for Installation and use" dated 31/01/2012. Part No: 72114200.	Wood logs ⁽¹⁾ .
Morsø S81-90 4 kW stove. Manufactured by Morsø UK Limited, Unit 7, The io Centre, Valley Drive, Swift Valley, Rugby, CV21 1TW.	Instruction manual reference "Morsø S81-90. Instruction for Installation and use" dated 30/01/2012.	Wood logs ⁽¹⁾ .
Nestor Martin C23 multifuel stove (7.7 kW); Nestor Martin C33 multifuel	Euroheat Distributors (HBS) Limited's operation instructions reference "IN 1213 Edition B" and dated June	Untreated dry wood ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
stove (9.2kW); Nestor Martin D33 multifuel stove (8kW). Manufactured by Nestor Martin S.A. 11 Rue de Lion, B-5660, Frasnes Lez Couvin, Belgium.	2010.	
Nestor Martin ‘Harmony’ H13 multifuel stove (3.5kW nominal thermal output). Manufactured by Nestor Martin S.A. 11 Rue de Lion, B-5660, Frasnes Lez Couvin, Belgium.	Euroheat Distributors (HBS) Limited’s operation instructions reference “IN 1116 Edition D” and dated January 2007.	Untreated dry wood ⁽¹⁾ .
Nestor Martin ‘Harmony’ H13 multifuel stove (5kW); Nestor Martin ‘Stanford’ S13 multifuel stove (3.5kW). Manufactured by Nestor Martin S.A. 11 Rue de Lion, B-5660, Frasnes Lez Couvin, Belgium.	Euroheat Distributors (HBS) Limited’s operation instructions reference “IN 1116 Edition D5” and dated June 2010. The minimum air bleed flap must be set at a minimum of 14.5mm.	Untreated dry wood ⁽¹⁾ .
Nestor Martin ‘Harmony’ H23 (6kW) and H33 (8kW) multifuel stoves; Nestor Martin ‘Stanford’ S23 (6kW) SP23 (6kW) S33 (8kW) and SP33 (8kW) multifuel stoves. Manufactured by Nestor Martin S.A. 11 Rue de Lion, B-5660, Frasnes Lez Couvin, Belgium.	Euroheat Distributors (HBS) Limited’s operation instructions reference “IN 1116 Edition D5” and dated June 2010.	Untreated dry wood ⁽¹⁾ .
Nestor Martin IN13 Insert multifuel stove (5 kW). Manufactured by Nestor Martin S.A. 11 Rue de Lion, B-5660, Frasnes Lez Couvin, Belgium.	Euroheat Distributors (HBS) Limited’s operation instructions reference “IN 1214 edition B” and dated June 2010. The minimum air bleed flap must be set at a minimum of	Untreated dry wood ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	14.5mm.	
Nestor Martin IT 13 multifuel stove (3.5kW). Manufactured by Nestor Martin S.A. 11 Rue de Lion, B-5660, Frasnes Lez Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operation instructions reference "IN 1180 Edition D1" and dated June 2010. The minimum air bleed flap must be set at a minimum of 14.5mm.	Untreated dry wood ⁽¹⁾ .
Nestor Martin R23 multifuel stove (6kW). Manufactured by Nestor Martin S.A. 11 Rue de Lion, B-5660, Frasnes Lez Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operation instructions reference "IN 1141 Edition B" and dated November 2006.	Untreated dry wood ⁽¹⁾ .
Nestor Martin R33 (8kW) multifuel stove. Manufactured by Nestor Martin S.A. 11 Rue de Lion, B-5660, Frasnes Lez Couvin, Belgium.	Euroheat Distributors (HBS) Limited's operation instructions reference "IN 1116 Edition D" and dated January 2007.	Untreated dry wood ⁽¹⁾ .
Newark EGTL05. Manufactured by Elite Group Trading Ltd, Room 1208, Kak Tak Commercial Building, 317-319 Des Voeux Road Central, Hong Kong, 999077.	The instruction manual reference "EGTL05 Version 1.4" dated 5th July 2011. The appliance must be fitted with a permanent stop to prevent any closure of the tertiary air control.	Wood logs ⁽¹⁾ .
Newton SE Wood Burning 5kW Space Heating Stove. Manufactured by TR Engineering Limited, Unit 7, Newton Chambers Way, Thorncliffe Industrial Estate, Chapelton, Sheffield, S35 2PH.	Instruction manual reference "700504 Iss. 2 Rev 1" dated January 2012.	Wood logs ⁽¹⁾ .
Newton SE Wood Burning 8kW Space Heating Stove. Manufactured by TR	Instruction manual reference "700506 Iss. 3 Rev. 2" dated January 2012.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Engineering Limited, Unit 7, Newton Chambers Way, Thorncliffe Industrial Estate, Chapelton, Sheffield, S35 2PH.		
Nordic 350. Manufactured by C DE A Ingenieria Ltda, Jose Miguel Carrera 6, Colina, Santiago, 9361294, Chile.	Instruction manual reference number “1001” dated 20/07/2012.	Wood logs ⁽¹⁾ .
Nørreskoven MkII. Manufactured by Hunter Stoves Ltd, Unit 6, Old Mill Industrial Estate Stoke Canon, Devon, EX5 4RJ.	The instruction manual reference “Cleanburn, Nørreskoven MkII, Multifuel Stove. Installation and Operating Instructions, v01.11 ” dated January 2011. The appliance must have a factory fitted stop to prevent closure of secondary air control beyond 40%.	Wood logs ⁽¹⁾ .
Norvik 5. Manufactured by Elite Group Trading Ltd, Room 1208, Kak Tak Commercial Building, 317-319 Des Voeux Road Central, Hong Kong, 999077.	The instruction manual reference “EGTL05A Version 1.5” dated 12 September 2011. The appliance must be fitted with a permanent stop to prevent any closure of the tertiary air control.	Wood logs ⁽¹⁾ .
Octoplus 10 and Octoplus 15 Boiler. Manufactured by Solarfocus Ltd, Werkstrasse 1, 4451 St.Ulrich, Steyr, Austria.	The installation instructions: Version 1.1 dated 19/04/2010; Operating manual Version 10.051 Dated 10/05/2010.	Wood pellets ⁽¹⁾ .
The ÖkoFEN Pellematic PE08, PE12, PE16, PE20, PE25, PE32, PEK12, PEK16, PEK20, PEK25, PEK32, PES12, PES16, PES20, PES25, PES32, PESK12, PESK16, PESK20, PESK25, and PESK32.	The manufacturer’s instructions dated February 2007, reference PE/HB/001.E.	Wood pellets with a maximum diameter of 6mm and a maximum length of 4cm ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>							
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>						
Manufactured by ÖkoFEN Forschungs-und Entwicklungs Ges.m.b.H of Gewerbepark1, 4133 Niederkappel, Austria.								
The ÖkoFEN Pellematic PE36, PE48, PE56, PEK36, PEK48, PEK56, PES36, PES48, PES56, PESK36, PESK48, PESK56. Manufactured by ÖkoFEN Forschungs-und Entwicklungs Ges.m.b.H of Gewerbepark1, 4133 Niederkappel, Austria.	The manufacturer's instructions dated March 2008, reference PBV 2000 CMP 1.4 (V2.31).	Wood pellets with a maximum diameter of 6mm and a maximum length of 4cm ⁽¹⁾ .						
Olymberyl Baby Gabriel model number HF217-SE. Manufactured by Hi-Flame Fireplace UK Ltd, Unit 7B, Holmes Chapel Business Park, Manor Lane, Holmes Chapel, Cheshire, CW4 8AF.	The instruction manual reference "HF217-SE/UK-NI-ROI/V2.16-06-11" Dated June 2011. It must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 3mm open position.	Wood logs ⁽¹⁾ .						
Optifire 800 Green, Infire 800 Green, wood burning stoves. Manufactured by Bodart & Gonay Limited, Rue De Lambinon, 3 Harze, Belgium, 4920.	Instruction manual reference "07DH8000A" dated 11/11. The appliance must be fitted with a "UK kit for smokeless areas OPTI IF 800".	Wood logs ⁽¹⁾ .						
The Orchard Ovens models: FVR Speciale 80, 100, 110, 110 x 160 and 120; TOP Superiore 100 and 120; GR 100, 120, 140, 120 x 160, 140 x 160, 140 x 180 and 180; OT 100, 120, 140, 120 x 160, 140 x 160, 140 x 180 and 180; the Valoriani Piccolo. Manufactured by Valoriani of Via Caselli alla Fornace, 213 50066 Reggello, Firenze, Italy.	The manufacturer's instructions dated 25 October 2004, references: <table border="1"> <thead> <tr> <th>Instructi on</th> <th>Model</th> </tr> </thead> <tbody> <tr> <td>OOL inst.1</td> <td>FVR 80</td> </tr> <tr> <td>OOL inst.2</td> <td>FVR100</td> </tr> </tbody> </table>	Instructi on	Model	OOL inst.1	FVR 80	OOL inst.2	FVR100	Untreated dry wood ⁽¹⁾ .
Instructi on	Model							
OOL inst.1	FVR 80							
OOL inst.2	FVR100							

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	OOL FVR 110 inst.3	
	OOL FVR 120 inst.4	
	OOL FVR 110x160 inst.5	
	OOL TOP 100 inst.6	
	OOL TOP 120 inst.7	
	OOL GR 100 and inst.8 OT 100	
	OOL GR 120 and inst.9 OT 120	
	OOL GR 140 and inst.10 OT 140	
	OOL GR 120x160 and inst.11 OT 120x160	
	OOL GR 140x160 and inst.12 OT 140x160	
	OOL GR 140x180 and inst.13 OT 140x180	
	OOL GR 180 and inst.14 OT 180	
	OOL Valoriani Piccolo inst.15	
Oregon EGTL03. Manufactured by Elite Group Trading Ltd, Room 1208, Kak Tak Commercial Building, 317-319 Des Voeux Road Central, Hong Kong, 999077.	The instruction manual reference "EGTL03 Version 1.3" dated 5th July 2011.	Wood logs ⁽¹⁾ .
Osby Parca PB2 2000 kW boiler. Manufactured by Enertech AB, Osby Parca Division, PO Box 93, SE-283 22 Osby, Sweden.	Operating & Maintenance manual, PB2 boiler reference "manual PB2_ENG_Rev2_JAN2012" dated January 2012.	Wood pellets ⁽¹⁾ .
Osby Parca PB2 3000 kW boiler. Manufactured by Enertech AB, Osby Parca Division, PO Box 93, SE-283 22 Osby, Sweden.	Operating & Maintenance manual, PB2 boiler reference "manual PB2_ENG_Rev2_JAN2012" dated January 2012.	Wood pellets, wood chips, wood briquettes ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
<p>Parkray Caprice 4.</p> <p>Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.</p>	<p>Instruction manual reference “JINCAP04 Rev E” dated 02/12/11 and instruction manual “JINCAP04SCK revB” dated 05/12/11.</p> <p>The appliance must be fitted with “smoke control area kit JCAP0401”.</p>	Wood logs ⁽¹⁾ .
<p>Parkray Consort 5 and Parkray Consort 5 Compact.</p> <p>Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.</p>	<p>Instruction manual reference “JINCND05 revC” dated 22/09/2011 and “JINCND05&CNC05 Slider Stop revA” dated 22/07/11.</p> <p>The appliance must be fitted with a permanent stop that prevents closure of the secondary air slider beyond 30% open.</p>	Wood logs ⁽¹⁾ .
<p>Parkray Consort 5 Slimline.</p> <p>Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.</p>	<p>Instruction manual reference “JINHHW05 revC” dated 22/09/11.</p>	Wood logs ⁽¹⁾ .
<p>Parkray Consort 7.</p> <p>Manufactured by Hunter Stoves Limited, Unit 6, Old Mill Industrial Estate, Stoke Canon, Devon, EX5 4RJ.</p>	<p>Instruction manual reference “JNCS07 revC” dated 22/09/11.</p>	Wood logs ⁽¹⁾ .
<p>Pelle 5kW stove, Vidar Small 5kW stove and Vidar Medium 7.6kW stove.</p> <p>Manufactured by Dik Geurts Haardkachels BV, Industrieweg Oost 11, 6662 NE Elst (Gld), the Netherlands.</p>	<p>The instruction manual reference “8900009004” dated July 2011.</p>	Dry wood logs ⁽¹⁾ .
<p>Pelletmaster PM15, 15 kW wood pellet boiler.</p> <p>Manufactured by HDG Bavaria</p>	<p>The manufacturer’s operating instructions for the HDG Pelletmaster 15/25 reference HDG Pelletmaster Version V1</p>	Wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Gesellschaft mit beschränkter Haftung (GmbH), Siemensstrasse 22, 84323 Massing, Germany.	of October 2006.	
Pelletstar 10, 20, 30, 45 and 60. Manufactured by HERZ Armaturen Ges.m.b.H, Richard-Strauss-Straße 22, A-1230 Wien, Austria.	The manufacturer's operating instructions dated November 2007, reference V2.2.	Wood pellets corresponding to ÖNORM M7135 of 6mm diameter ⁽¹⁾ .
PelletTop 15 and PelletTop 25 Boiler. Manufactured by Solarfocus Ltd, Andreas Simetzberger, Solarfocus, Werkstrasse 1, 4451 St.Ulrich, Steyr, Austria.	The installation instructions: Version 020905 dated 02/09/2005. Operating manual: Version 270906 dated 27/09/2006.	Wood pellets ⁽¹⁾ .
Pevex Bohemia X30, X40, X40 Cube, X50 and X60 multifuel stoves. Manufactured by Pevex Enterprises Ltd, Unit 16, Seven Acres Business Park, Newbourne Road, Waldringfield, Nr Woodbridge, IP12 4PS	The manufacturer's Instruction manual reference "AH/Ver3" and dated July 2010.	Dry wood logs. ⁽¹⁾ .
Pevex Bohemia X40 Inset multi-fuel appliance. Distributed by Pevex Enterprises Ltd, Unit 16 Seven Acres Business Park, Waldringfield, Ipswich, IP12 4PS.	The instruction manual reference "Pevex1004/AH/ver2/" and dated June 2011 The appliance must be fitted with permanent stops that ensure the primary and tertiary air controls do not close beyond 0.5cm open and 2cm open positions respectively.	Dry wood logs ⁽¹⁾ .
Pevex Serenity 40D inset multi-fuel appliance. Distributed by Pevex Enterprises Ltd, Unit 16 Seven Acres Business Park,	The instruction manual reference "Pevex1003/AH/ver2" and dated June 2011. The appliance must be fitted	Dry wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Waldringfield, Ipswich, IP12 4PS.	with permanent stops that ensure the secondary and tertiary air controls do not close beyond 1.1cm open and 2cm open positions respectively.	
Portway 1. Manufactured by BFM Europe Ltd, Trentham Lakes, Stoke on Trent, Staffordshire, ST4 4TJ.	The instruction manual reference: "Solid Fuel Stoves Manual issued - 20/08/2009 (291) 2". The appliance must be used with a modification to the secondary air slide which inhibits closure further than the 25mm from the left position.	Wood logs ⁽¹⁾ .
Portway 2; Portway 3. Manufactured by BFM Europe Ltd, Trentham Lakes, Stoke on Trent, Staffordshire, ST4 4TJ.	The instruction manual reference: "Solid Fuel Stoves Manual issued - 20/08/2009 (291) 2". The appliance must be used with a modification to the secondary air slide which inhibits closure further than the 20mm from the left position.	Wood logs ⁽¹⁾ .
Portway Inset. Manufactured by BFM Europe Ltd, Trentham Lakes, Stoke on Trent, Staffordshire, ST4 4TJ.	The instruction manual reference "Solid Fuel Stoves Manual issued - 20/08/2009 (291) 2". A modification of the secondary air control must be implemented such that the 20mm from left position is maintained during use. In addition the primary air control must be modified such that the minimum setting allows a bleed of air to pass through.	Wood logs ⁽¹⁾ .
Pyroclassic IV. Manufactured by Pyroclassic Fires Limited, PO Box 28150, Havelock North 4157,	Instruction manual reference "PYROS 04" dated August 2011.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Hawke Bay, New Zealand.		
PZ 65 RL and PZ 100 RL pellet boilers. Manufactured by Biotech Energietechnik GmbH, Furtmühlstrasse 32, A-5101, Bergheim bei Salzburg, Austria.	Instruction manual reference “Assembly instruction – Instruction manual – servicing & cleaning PZ65RL/PZ100RL/PZ101RL” dated July 2012. Reference BTMoBeWe ENG.	Wood pellets ⁽¹⁾ .
The Quadra-Fire 2100 Millennium Freestanding Wood Burning Stove. Manufactured by Hearth & Home Technologies 1445 North Highway, Colville, WA 99114, USA.	The manufacturer’s instructions dated 9 October 2003, reference 250-6931B.	Dry cured untreated wood of maximum size 38.1 cm x 10.16 cm x 5.08 cm ⁽¹⁾ .
The Quadra-Fire Cumberland Gap Freestanding Wood Burning Stove. Manufactured by Hearth & Home Technologies 1445 North Highway, Colville, WA 99114, USA.	The manufacturer’s instructions dated 8 July 2003, reference 7006-186.	Dry cured untreated wood of maximum size 43.18 cm x 10.16 cm x 5.08 cm ⁽¹⁾ .
The Quadra-Fire Yosemite Freestanding Wood Burning Stove. Manufactured by Hearth & Home Technologies 1445 North Highway, Colville, WA 99114, USA.	The manufacturer’s instructions dated 4 June 2003, reference 7004-187.	Dry cured untreated wood of maximum size 38.1 cm x 10.16 cm x 5.08 cm ⁽¹⁾ .
Rais 2:1 inset stove. Manufactured by Rais A/S, Industrivej 20, 9900, Frederikshavn, Denmark.	The instruction manual reference “USER MANUAL Rais 2:1 Revision 2”. Dated December 2009. Part number 9106510.	Wood logs ⁽¹⁾ .
Rais 700 inset stove. Manufactured by Rais A/S, Industrivej 20, 9900,	The instruction manual reference “USER MANUAL Rais 700 Revision 0”. Dated 2010.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Frederikshavn, Denmark.		
Rais Epoca, Rais Poleo 95 and Rais Poleo 106 stoves. Manufactured by Rais A/S, Industrivej 20, 9900, Frederikshavn, Denmark.	The instruction manual reference "USER MANUAL Rais Poleo 95 & Rais Poleo 106 Rais Epoca Revision 1". Dated December 2009. Part number 2106510.	Wood logs ⁽¹⁾ .
RAIS Q-Tee 57, 65 and 85. Manufactured by Rais A/S Industrivej 20, 9900, Frederikshavn, Denmark.	The instruction manual reference "Manual for RAIS Q-Tee Revision 1" dated 28th June 2011 and Supplementary instructions Rais Q-Tee dated 7th July 2011. It must be fitted with a mechanical stop to prevent air control closure beyond the 11.7mm open position.	Dry wood logs ⁽¹⁾ .
Rais Rondo Classic and Rais Mino II stoves. Manufactured by Rais A/S, Industrivej 20, 9900, Frederikshavn, Denmark.	The instruction manual reference "USER MANUAL Rais Rondo & Rais Mino II revision 2". Dated March 2008. Part number 5056510.	Wood logs ⁽¹⁾ .
Rais Rondo 92 and Rais Rondo 120 stoves. Manufactured by Rais A/S, Industrivej 20, 9900, Frederikshavn, Denmark.	The instruction manual reference "USER MANUAL Rais Rondo 92 & Rais Rondo 120 revision 2". Dated December 2009. Part number 4076510.	Wood logs ⁽¹⁾ .
RAIS VIVA 98, RAIS VIVA 98G, RAIS VIVA 120, RAIS VIVA 120G and RAIS RINA 90 wood burning stoves. Manufactured by Rais A/S, Industrivej 20, 9900, Frederikshavn, Denmark.	Instruction manual reference "Manual for RAIS Rina, RAIS Viva" dated 29 August 2011 and instruction manual "Supplementary Instructions Rais" dated 27 September 2011. The appliance must be fitted with a mechanical stop to prevent closure of the air damper beyond the 8.5mm open position.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Redfyre Kensal 20 flat top (product code RF-EN20M), Redfyre Kensal 33 flat top (product code RF-KEN33M and RF-KEN33W). Manufactured by Redfyre Cookers, Osprey Road, Sowton Industrial Estate, Exeter, Devon, EX2 7JG.	The manufacturer's instruction manual dated July 2008 reference PM247 issue 1, and instruction manual dated January 2009 reference PM280 issue 1. A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 50% open position.	Untreated dry wood ⁽¹⁾ .
Rika Como pellet stove. Manufactured by RIKA Innovative Ofentechnik GmbH Müllerviertel 20 AT - 4563 Micheldorf, Austria.	The instruction manual reference "IN1226 Edition 1" dated June 2011.	6 mm wood pellets ⁽¹⁾ .
Rika Evo Aqua 9 and 15. Manufactured by SHT Heiztechnik aus Salzburg GmbH, Rechtes Salzachufer 40 A-5101, Salzburg-Bergheim, Austria.	The instruction manual reference "J18/HB" dated 27/02/2009.	6mm wood pellets ⁽¹⁾ .
Rika Memo pellet stove. Manufactured by RIKA Innovative Ofentechnik GmbH Müllerviertel 20 AT - 4563 Micheldorf, Austria.	The instruction manual reference "IN1228 Edition 1" dated June 2011.	6 mm wood pellets ⁽¹⁾ .
Rika Pico pellet stove. Manufactured by RIKA Innovative Ofentechnik GmbH Müllerviertel 20 AT - 4563 Micheldorf, Austria.	The instruction manual reference "IN1230 Edition 1" dated June 2011.	6 mm wood pellets ⁽¹⁾ .
Rika Revo pellet stove. Manufactured by RIKA Innovative Ofentechnik GmbH Müllerviertel 20 AT - 4563 Micheldorf, Austria.	The instruction manual reference "IN1229 Edition 1" dated June 2011.	6 mm wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Rika Tema 6kW stove. Manufactured by Rika Innovative Ofentechnik GmbH, Müllerviertel 20, AT - 4563 Micheldorf, Austria.	Instruction manual reference "IN1218 Edition 2" dated January 2012.	Wood logs ⁽¹⁾ .
Rika Topo pellet stove. Manufactured by RIKA Innovative Ofentechnik GmbH Müllerviertel 20 AT - 4563 Micheldorf, Austria.	The instruction manual reference "IN1227 Edition 1" dated June 2011.	6 mm wood pellets ⁽¹⁾ .
Riva 40 Cassette 4.9kW stoves. Manufactured by Stovax Ltd; Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference "PM235 Issue 2" dated August 2009 and smoke control kit instruction manual "PM375 Issue 2" dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position.	Wood logs ⁽¹⁾ .
Riva 40 Freestanding, Riva 40 Avanti, Riva 40 Avanti Midi, And Riva 40 Avanti Highline 4.9kW stoves. Manufactured by Stovax Ltd; Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference "PM226 Issue 2" dated August 2009 and smoke control kit instruction manual "PM375 Issue 2" dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position.	Wood logs ⁽¹⁾ .
Riva 45 Cassette (model numbers RV45 & RV45B) wood burning stoves. Manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	Instruction manual reference "PM375 Issue 5" dated June 2012 and instruction manual reference "PM235 Issue 5" dated June 2012. The appliance must be fitted with a permanent stop to prevent closure of the secondary air control below the	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	50% open position.	
Riva 50 Cassette (model numbers RV50 & RV50B) wood burning stoves. Manufactured by Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	Instruction manual reference “PM375 Issue 5” dated June 2012 and instruction manual reference “PM235 Issue 5” dated June 2012. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position and the primary air control fixed to allow a bleed of air to enter the firebox from underneath the grate.	Wood logs ⁽¹⁾ .
Riva 55 Cassette, Riva 66 Cassette, and Riva 66 Avanti Cassette stoves. Manufactured by Stovax Ltd; Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference “PM235 Issue 2” dated August 2009 and smoke control kit instruction manual “PM375 Issue 2” dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position and the primary air control fixed to allow a bleed of air to enter the firebox from underneath the grate.	Wood logs ⁽¹⁾ .
Riva 55 Avanti Midi and Riva 66 Freestanding 8kW stoves. Manufactured by Stovax Ltd; Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference “PM226 Issue 2” dated August 2009 and smoke control kit instruction manual “PM375 Issue 2” dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position and the primary air control fixed to allow a bleed of air to enter the firebox from underneath the grate.	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Riva Plus Small (5kW), Riva Plus Midi (6.5kW) and Riva Plus Medium (8 kW) stoves. Manufactured by Stovax Ltd; Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference “PM231 Issue 3” dated June 2009 and smoke control kit instruction manual “PM402 Issue 1” dated November 2009. A permanent stop must be positioned to prevent closure of the secondary air control below the 25% open position.	Wood logs ⁽¹⁾ .
Riva Studio 1 (5kW) freestanding wood stove. Manufactured by Stovax Ltd; Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference “PM452 Issue 1” dated June 2010 and smoke control kit instruction manual “PM400 Issue 3” dated June 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 45% open position and the primary air control fixed to prevent full closure to allow a bleed of air to enter the firebox at the base of the fuel bed.	Wood logs ⁽¹⁾ .
Riva Studio 2 (8kW) freestanding wood stove. Manufactured by Stovax Ltd; Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference “PM452 Issue 1” dated June 2010 and smoke control kit instruction manual “PM400 Issue 3” dated June 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 25% open position and the primary air control fixed to prevent full closure to allow a bleed of air to enter the firebox at the base of the fuel bed.	Wood logs ⁽¹⁾ .
Riva Studio 1 Cassette (5kW). Manufactured by Stovax Ltd; Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2	The instruction manual reference “PM274 Issue 2” dated October 2009 and smoke control kit instruction manual “PM400 Issue 1” dated	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
7LF.	November 2009. A permanent stop must be positioned to prevent closure of the secondary air control below the 45% open position and the primary air control fixed to prevent full closure to allow a bleed of air to enter the firebox at the base of the fuel bed.	
Riva Studio 2 Cassette (8kW). Manufactured by Stovax Ltd; Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference “PM274 Issue 2” dated October 2009 and smoke control kit instruction manual “PM400 Issue 1” dated November 2009. A permanent stop must be positioned to prevent closure of the secondary air control below the 25% open position and the primary air control fixed to prevent full closure to allow a bleed of air to enter the firebox at the base of the fuel bed.	Wood logs ⁽¹⁾ .
Riva Vision Small (5kW) – Multifuel; Riva Vision Midi (6.5kW) - Multifuel. Manufactured by Stovax Ltd, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference “PM278 Issue 2a” dated October 2009 and smoke control kit instruction manual “PM401 Issue 1” dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position.	Wood logs ⁽¹⁾ .
Riva Vision Medium (8 kW) – Multifuel. Manufactured by Stovax Ltd; Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference “PM278 Issue 2a” dated October 2009 and smoke control kit instruction manual “PM401 Issue 1” dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	the 25% open position.	
Rosedale Inset Smoke Control inset roomheater. Manufactured by Town and Country Fires Limited, Unit 1 Enterprise Way, Thornton Road Industrial Estate, Pickering, North Yorkshire, YO18 7NA.	Instruction manual reference “Issue No. 04” dated 11.01.2012. The appliance must be fitted with a mechanical stop to prevent secondary air control closure beyond the 30% open position.	Wood logs ⁽¹⁾ .
Rosedale SC Multifuel Stove. Manufactured by Town & Country Fires Ltd, 1 Enterprise Way, Thornton Road Industrial Estate, Pickering, North Yorkshire, YO18 7NA.	The “Rosedale Smoke Control Stove Installation and User Instructions Issue 1” dated 1 May 2010. The appliance must be fitted with a mechanical stop to prevent closure of the secondary air control beyond the 50% open position.	Wood logs with a maximum of 20% moisture ⁽¹⁾ .
Royal Klima 18 Idro wood pellet stove boiler. Manufactured by Palazzetti Lelio S.p.A, Via Roveredo 103, Porcia (PN), 33080, Italy.	Instruction manual reference “cod. 0047700880” dated 09/2011 and supplementary information “Clean Air Act 1993 and Smoke Control Areas” reference 004723000 dated 01/2012.	Wood pellets ⁽¹⁾ .
Saltfire Ecoview 5, Fireglow Eco 5, and Ecowarm Crystal 5 stoves. Manufactured by Saltfire Stoves Ltd, Units 1 and 2, The Omega Centre, Sandford Lane, Wareham, Dorset, BH20 4DY.	Instruction manual reference “Evoview5 Manual 1.0” dated 15/12/2011. The appliance must be fitted with a mechanical stop to prevent closure of the tertiary air beyond the 4mm open position.	Wood logs ⁽¹⁾ .
Saltfire Ecoview 12, Fireglow Eco 12, and Ecowarm Crystal 12 stoves. Manufactured by Saltfire Stoves Ltd, Units 1 and 2, The Omega Centre, Sandford Lane, Wareham, Dorset, BH20 4DY.	Instruction manual reference “Evoview12 Manual 1.0” dated 15/12/2011. The appliance must be fitted with a mechanical stop to prevent closure of the tertiary air beyond the 4mm open	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	position.	
Saltfire Oslo-Eco, Fireglow Eco 7 and Ecowarm Crystal 6. Manufactured by Saltfire Stoves Ltd, Units 1 and 2, The Omega Centre, Sandford Lane, Wareham, BH20 4DY.	The instruction manual reference “ECO7operation-Revision 2A” dated 24.01.2011.	Wood logs ⁽¹⁾ .
San Remo 4SE stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference “SR468SE” dated 25/07/12. The appliance must be fitted with a system to prevent closure of the secondary air control beyond 5mm open.	Wood logs ⁽¹⁾ .
San Remo 6SE stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference “SR468SE” dated 25/07/12. The appliance must be fitted with a system to prevent closure of the secondary air control beyond 75% from closed.	Wood logs ⁽¹⁾ .
San Remo 8SE stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference “SR468SE” dated 25/07/12. The appliance must be fitted with a system to prevent closure of the secondary air control beyond 25% from closed.	Wood logs ⁽¹⁾ .
The Scan Anderson 4-5. Manufactured by Krog Iversen 7 Co., A/S DK-5492 Vissenbjerg, Denmark.	The manufacturer’s instructions dated 15 November 2007, entitled ‘Scan Andersen 4-5’, reference 09/05-GB. A permanent stop must be in place on the secondary air inlet to prevent closure beyond 20mm.	Untreated dry wood ⁽¹⁾ .
Scan DSA 7-5 wood-burning Inset roomheater.	Instruction manual “Instructions for installation	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Scan A/S PO Box 20, 5492 Vissenberg, Denmark.	and use: SCAN DSA 6 & DSA 7-5” Edition 17.09.2010 – GB, supplement “DSA 7-5 – UK smoke control areas” reference “DSA 7-5 SMOKE” dated 01/01/2012, and instructions for installation (including directions for use and stoking) reference “Edition 05.10.2010 – GB”. The appliance must be fitted with a mechanical stop to prevent closure of the air wash control lever beyond the 50% open position.	
Schmid UTSK 180, 240, 300, 360, 450, 550, 700, 900, 1200, 1600 kW. Manufactured by Schmid AG Woodfiring Systems, PO Box 42, CH-8380 Eschikon, Switzerland.	The manufacturer’s instruction manual ‘UTSK-ABC.22-AME-S-PPU’ dated 25.09.2008 (where ABC is model number ie. 180, 240, 300, 360, 450, 550, 700, 900, 1200, 1600).	Wood pellets or wood chips following CEN/TS 14961:2005 ⁽¹⁾ .
Schmid UTSL 30, 40, 50, 65, 80, 110, 150 kW. Manufactured by Schmid AG Woodfiring Systems, PO Box 42, CH-8380 Eschikon, Switzerland.	The manufacturer’s instruction manual reference “Operating Manual Wooden Chips and Pellets Plant. Lignumat UTSL” dated 23.12.2004.	Wood pellets or wood chips following CEN/TS 14961:2005 ⁽¹⁾ .
Schmid UTSP 180, 240, 300 kW. Manufactured by Schmid AG Woodfiring Systems, PO Box 42, CH-8380 Eschikon.	The manufacturer’s instruction manual ‘UTSK – ABC22-AME-S-PPU’ dated 25.09.2008 (where ABC is model number i.e. 180, 240, 300).	Wood pellets following CEN/TS 14961:2005 ⁽¹⁾ .
Schmid UTSR 150, 180, 240, 300, 360, 450, 550, 700, 900 kW Manufactured by Schmid AG Woodfiring Systems, PO Box 42, CH-8380 Eschikon.	The manufacturer’s instruction manual ‘UTSR – ABC22-AME-S-PPV’ dated 25.09.2008 (where ABC is model number i.e. 150, 180, 240, 300, 360, 450, 550, 700, 900)	Wood pellets or wood chips following CEN/TS 14961:2005 ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Serrano 5, York Midi; Monterrey 6 Stoves. Manufactured by Broseley Ltd, Knights Way, Battlefield Enterprise Park, Shrewsbury, Shropshire, SY1 3AB.	The instruction manual reference "09TJD" dated 01 2010. A system that prevents the closure of the secondary air flaps to be less than 8mm open position must be fitted.	Wood logs ⁽¹⁾ .
Serrano 5 Multi Fuel and Monterrey 6 Multi Fuel Stoves. Manufactured by Broseley Fires Ltd, Knights Way, Battlefield Enterprise Park, Shrewsbury, Shropshire, SY1 3AB.	The Instruction manual reference "TJ09C" dated 21st December 2009. The appliance must be fitted with a system that prevents the closure of the secondary air flaps to be less than 8mm open position.	Wood logs ⁽¹⁾ .
Serrano 7 Multi Fuel stove. Manufactured by Broseley Fires Ltd, Knights Way, Battlefield Enterprise Park, Shrewsbury, Shropshire, SY1 3AB.	The Instruction manual reference "TJ09C" dated 21st December 2009. The appliance must be fitted with a system that prevents the closure of the secondary air flaps to be less than 10mm open position.	Wood logs ⁽¹⁾ .
Sirius Traditional Stove. Manufactured by Tianjin Focus Arts & Crafts Co, Industrial Area Gao Zhuangzi Village, Xin Zhuang Town, Jin Nan District, Tianjin, P.R. China 300350.	Instruction and Operating Instruction manual reference "v173 of 09/11/2010" dated 09/11/2010.	Wood logs ⁽¹⁾ .
The Stockton 3 flat top (product code 7118) Stockton 4 flat top (product code 7101 and 7102) and Stockton 5 flat top (product code 7127) Stockton 5 midline (product code 7130) Stockton 6 flat top (product codes 7100 and 7162) Stockton 6 Highline (product code 7117) and Stockton 7 flat top (product	The manufacturer's instruction manual dated July 2008, reference "PM227 ENG Issue 2", and instruction manual dated January 2009, reference "PM271 Issue 2". A permanent stop must be in place on the secondary air inlet to prevent closure beyond the	Untreated dry wood ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
codes 7120 and 7163). Manufactured by Stovax Ltd., Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF.	50% open position.	
The Stockton 5 flat top (model number 7119) Stockton 5 Canopy (model number 7160) and Stockton 5 Midline (model number 7133). Manufactured by Stovax Ltd, Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF.	The manufacturer's instructions reference, "PM176 – issue 4". A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 50% open position.	Untreated dry wood ⁽¹⁾ .
Stockton 7 Inset Convector (product codes 7125F and 7125C). Manufactured by Stovax Ltd, Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF.	The manufacturer's instruction manual dated May 2008, reference "PM230 Issue 1", and instruction manual dated January 2009, reference "PM281 Issue 1". A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 50% open position.	Untreated dry wood ⁽¹⁾ .
Stockton Milner (4.6 kW) inset stove – smoke control version. Manufactured by Stovax Ltd, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference "PM416 Issue 1" (June 2010) and smoke control kit instruction manual "PM501 Issue 1" (June 2010). A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position.	Wood logs ⁽¹⁾ .
Stoven Mayfair SE & Stoven Kensington SE 5kw Wood Burning Stoves. Manufactured by Ciang Stoves Limited, South Chuangye Road, (Hanling Industrial Estate), Beiguan Section,	Instruction manual reference "3-4" dated 27 November 2011. The appliance must be fitted with mechanical stops to prevent closure of the secondary air control beyond	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Anyang City, Henan Province, China 455000.	the 25% open position and the tertiary air beyond the 1mm open position.	
Strebel SRP TR 90, 90 kW output pellet boiler. Manufactured by Strebel Ltd, 1F Albany Park Industrial Estate, Frimley Road, Camberley, Surrey, GU15 7P.	The Strebel SRP TR 90 pellet boiler installation manual reference "Installation and operation instructions for special pellet-furnace" version 09:2010.	6mm diameter wood pellets ⁽¹⁾ .
Stretton Insert Smoke Exempt Wood Fuel Stove (Stretton Stove SE). Manufactured by Aga, Station Road, Ketley Telford, Shropshire, TF1 5AQ.	The instruction manual reference "N00530AXX REV:001" dated 12th July 2011.	Dry wood logs ⁽¹⁾ .
STU 195 and STU 975. Manufactured by Hoval Limited, Northgate, Newark, Nottinghamshire, NG24 1JN.	Instruction manual reference "Installation, Operation and Maintenance Instructions. STU wood-pellet fired hot water boiler skid assembly STUman CAA (SM)" dated May 2011.	Wood pellets ⁽¹⁾ .
Suprema, Mamy and Italy Hard Top. Manufactured by La Nordica Spa, Via Summano 104 M. Precalcino, 36030, Vicenza, Italy.	The instruction manual reference "7095701 Rev.09" dated 13/12/2010.	Wood logs ⁽¹⁾ .
Talbott 150-CMH 150 kW output Biomass Air Heater. Manufactured by Talbott's Biomass Energy Systems Ltd, Tollgate Drive, Tollgate Industrial Estate, Stafford, ST16 3HS.	The instruction manual for Talbott 150-CMH hand-fed Biomass Air Heater operating package reference "OM-150-CMH version.1" dated January 2011.	Softwood, hardwood, medium density fibreboard (MDF) or chipboard offcuts ⁽¹⁾ .
Talbott's Automatic Biomass Air Heaters, models T1.5/A, T3/A, T5/A and TM/A.	The manufacturer's instructions reference "T/A JANUARY 1990".	Hardwood or softwood shavings or sawdust ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Formerly manufactured by Talbott's Heating Ltd, and now manufactured by Talbott's Biomass Energy Systems Ltd, Tollgate Drive, Tollgate Industrial Estate, Stafford, ST16 3HS.		
Talbott's Biomass Energy Models C1, C2, C3 and C4. Formerly manufactured by Talbott's Heating Ltd, and now manufactured by Talbott's Biomass Energy Systems Ltd, Tollgate Drive, Tollgate Industrial Estate, Stafford, ST16 3HS.	The manufacturer's instructions dated August 1995 reference "Issue C1000/C/Range".	Chipboard or wood shavings, forestry chips ⁽¹⁾ .
Talbott's model T75, T150, T300 Biomass Air Heaters. Formerly manufactured by Talbott's Heating Ltd, and now manufactured by Talbott's Biomass Energy Systems Ltd, Tollgate Drive, Tollgate Industrial Estate, Stafford, ST16 3HS.	The manufacturer's instructions dated 1st January 1995 reference - models T75, T150 and T300: "gen/sttech".	Wood offcuts, wood-waste, pellets, chipboard. ⁽¹⁾ .
Talbott's T500 Biomass Air heater (afterburn model). Formerly manufactured by Talbott's Heating Ltd, and now manufactured by Talbott's Biomass Energy Systems Ltd, Tollgate Drive, Tollgate Industrial Estate, Stafford, ST16 3HS.	The manufacturer's instructions dated January 1st 1983 reference A10000. The afterburn cycle must last not less than 25 minutes and must come into operation each time the loading door is opened.	Wood offcuts, wood-waste, pellets, chipboard ⁽¹⁾ .
Therminator II 22 and Therminator II 30 Boiler. Manufactured by Solarfocus Ltd, Werkstrasse 1, 4451 St.Ulrich, Steyr, Austria.	The installation instructions: "Version.:11/08/06" dated 07/2006; Operating Manual "V8.051" dated 09/2009. Maintenance Instructions:	Wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	“Ver.:01/09/06” dated 2006.	
<p>Therminator II 27 and Therminator II 36 Boiler.</p> <p>Manufactured by Solarfocus Ltd, Werkstrasse 1, 4451 St.Ulrich, Steyr, Austria.</p>	<p>The installation instructions: “Version.:11/08/06” dated 07/2006;</p> <p>Operating Manual “V8.051” dated 09/2009.</p> <p>Maintenance Instructions: “Ver.:01/09/06” dated 2006.</p>	Wood logs ⁽¹⁾ .
<p>Therminator II 40 Boiler.</p> <p>Manufactured by Solarfocus Ltd, Werkstrasse 1, 4451 St.Ulrich, Steyr, Austria.</p>	<p>The installation instructions: “Version.:11/08/06” dated 07/2006;</p> <p>Operating Manual “V8.051” dated 09/2009.</p> <p>Maintenance Instructions: “Ver.:01/09/06” dated 2006.</p>	Wood pellets or wood chips ⁽¹⁾ .
<p>Therminator II 49 and Therminator II 60 Boiler.</p> <p>Manufactured by Solarfocus Ltd, Werkstrasse 1, 4451 St.Ulrich, Steyr, Austria.</p>	<p>The installation instructions: “Version.:11/08/06” dated 07/2006;</p> <p>Operating Manual “V8.051” dated 09/2009.</p> <p>Maintenance Instructions: “Ver.:01/09/06” dated 2006.</p>	Wood logs or wood pellets or wood chips ⁽¹⁾ .
<p>Thornhill T3 small.</p> <p>Manufactured by Thornhill Eco Design Ltd, 58-60 Wincheap, Canterbury, Kent, CT1 3RS.</p>	<p>The instruction manual reference “ED/11/05” dated January 2011.</p> <p>The appliance must be fitted with an air plate that prevents the tertiary air controller from closing more than 17mm and opening more than 45mm.</p>	Wood logs ⁽¹⁾ .
<p>Tiger SuperClean.</p> <p>Manufactured by Tiger stoves, Focus Arts & Crafts Co., Industrial Area Gao Zhuangzi Village, Xin Zhuang Town, Jin</p>	<p>The instruction manual reference “INSTALLATION AND OPERATING INSTRUCTIONS document v.148” dated April 2010.</p>	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Nan District, Tainjin, P. R. China 300350.		
Turbhogar Alfa 80T and 65T, Turbhogar Beta 80T, Turbhogar Delta 80T and 65T, Turbhogar Lambda 80T and 65T, Turbhogar Sigma 80T and 65T, Turbhogar Omega 80T and Turbhogar Tau 80T and 65T fireplace inserts. Manufactured by Rofer & Rodi UK Ltd, Rofer & Rodi UK Ltd, Unit 10, Millennium Road, Airedale Business Centre, Skipton, North Yorkshire, BD23 2TZ.	The manual of assembly and use reference “RR100920” dated 20/09/2010 and supplementary instruction manual reference “UK100920” dated 20/09/2010. The appliance must be fitted with a system that prevents the full closure of the air control opening so that the air openings remain 3mm (30%) open at the minimum setting.	Wood logs ⁽¹⁾ .
The Twin Heat CS 150i. Manufactured by TWIN HEAT A/S, Nørrevangen 7, DK-9631 Gedsted, Denmark.	The manufacturer’s operating instructions dated 17 December 2008, version 6.0.03.	Wood pellets of a maximum length of 30mm and diameter of 6mm and conforming to CEN/TS 14961:2005 ⁽¹⁾ .
The Type USV wood pellet and wood chip fired boilers, model numbers USV-15, 25, 30, 40, 50, 60, 80 and 100 Manufactured by KWB – Kraft und Wärme aus Biomasse Gesellschaft mit beschränkter Haftung (GmbH) of Industriestrasse 235, A-8321 St. Margarethen an der Raab, Austria.	The manufacturer's instructions dated August 2003, reference BA-USV 0803.	Wood pellets or wood chips ⁽¹⁾ .
The Type USP wood pellet fired boilers, model numbers USP-10, 15, 20, 25 and 30. Manufactured by KWB – Kraft und Wärme aus Biomasse Gesellschaft mit beschränkter Haftung (GmbH) of Industriestrasse 235, A-8321 St. Margarethen an der Raab, Austria.	The manufacturer's instructions dated 28 July 2003 reference BA-USP 0703.	Wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Uniconfort EOS 45, EOS 50, EOS 55, EOS 65, EOS 70, EOS 75, EOS 80, EOS 85 fitted with a multi-cyclone. Manufactured by Uniconfort srl, Via dell'Industria, 21, 35018 San Martino di Lupari, PD, Italy.	Instruction manual reference "Uniconfort EOS MANUAL: R1" dated May 2012.	Wood pellets ⁽¹⁾ .
Uniconfort EOS 90 fitted with a multi-cyclone. Manufactured by Uniconfort srl, Via dell'Industria, 21, 35018 San Martino di Lupari, PD, Italy.	Instruction manual reference "Uniconfort EOS MANUAL: R1" dated May 2012.	Wood pellets or wood chips ⁽¹⁾ .
VarioWIN VA 120 12kW wood pellet boiler. Manufactured by Windhager Zentralheizung GmbH, Anton-Windhager, Str.20, A-5201 Seerkirchen bei Salzburg, Austria.	The installation instruction manual reference "092947/00" dated 01/2010 and operating instruction manual reference "092945/00" dated 01 2010.	Wood pellets, 6mm diameter, length 80% between 15-30mm and a density of at least 1.1kg/dm3 ⁽¹⁾ .
Vesuvio 400 kW automatic pizza oven. Manufactured by CLM srl, Via I Maggio 35, 31043, Fontanelle (Treviso), Italy.	CLM Vesuvio oven instruction manual reference "Instruction and maintenance manual ENGLISH" version Review 0.1 dated 29/11/2011.	'CalorPan' 100% beech briquette, octagonal section, length 260-300mm, width and height 75-90mm manufactured from dried beech sawdust ⁽¹⁾ .
View 3 (3.8 kW) and View 5 (4.9kW) multifuel stoves; View 5 (4.9kW) wood stove. Manufactured by Stovax Ltd, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference "PM485 Issue 1" dated June 2010 and smoke control kit instruction manual reference "PM490 Issue 1" dated June 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position.	Wood logs ⁽¹⁾ .
View 7 (7 kW) inset appliance Product code VW-7NMF.	The instruction manual reference "PM552 - Issue 1"	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Stovax Ltd: Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	dated June 2011 and smoke control kit instruction manual reference "PM490 Issue 2" dated July 2011. A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 50% open position.	
Vista Magnifico SE & Vista Perfetto SE 4.9kw wood burning stoves. Manufactured by Ciang Stoves Limited, South Chuangye Road, (Hanling Industrial Estate), Beiguan Section, Anyang City, Henan Province, China 455000.	Newman Fireplaces Limited's Instruction manual reference "1-2" dated 24 October 2011. The appliance must be fitted with mechanical stops to prevent closure of the secondary air control beyond the 30% open position and the tertiary air beyond the 50% open position.	Wood logs ⁽¹⁾ .
Vitae 06C inset stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference "VIT06C" dated 26/07/12. The appliance must be fitted with a permanent stop to prevent closure of the secondary air control beyond 20% open.	Wood logs ⁽¹⁾ .
Vitae 11C inset stove. Manufactured by Heat Design, 30 Hawthorn Road, Western Industrial Estate, Naas Road, Dublin 12, Ireland.	Instruction manual reference "VIT11C" dated 26/07/12. The appliance must be fitted with a permanent stop to prevent closure of the secondary air control beyond 20% open.	Wood logs ⁽¹⁾ .
Westcott 5SE. Manufactured by Dimplex, GDC Group Ltd, Millbrook House, Grange Drive, Hedge End Southampton, SO30 2DF.	The instruction manual reference "08/51351/0 - Issue 0", dated 07/09/10.	Wood logs ⁽¹⁾ .
Westfire Series One stove and Westfire Series Two stove.	The Westfire WF One and Two series installation manual and operating instructions and	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Westfire Tømmervej 3 DK-6800 Varde, Denmark.	<p>supplementary Instruction manual reference “Westfire supplementary instructions June 2011/Version 1” dated 1st June 2011.</p> <p>The appliance must be fitted with a permanent stop to prevent closure of the secondary air control less than 50% open.</p>	
<p>The Westfire Uniq 15, 16 and 20 (also known as WF UNIQ 15, 16 and 20).</p> <p>Manufactured by Westfire Tømmervej 3 DK-6800 Varde, Denmark.</p>	<p>The manufacturer’s instructions dated 2007, reference WF15 – WF16 – WF20 along with supplementary instructions dated 2007, reference 01 wfuk.2207.</p> <p>A permanent stop must be in place on the secondary air inlet to prevent closure beyond 50mm.</p>	Untreated dry wood ⁽¹⁾ .
<p>Westfire Uniq 17, Westfire Uniq 18, Westfire Uniq 19, Westfire Uniq 23, Westfire Uniq 23 side Glass and Westfire Uniq 23 Inset.</p> <p>Manufactured by Westfire APS, Tømmervej 3, DK-6800 Varde, Denmark.</p>	<p>The instruction manual reference “WESTFIRE SUPPLEMENTARY INSTRUCTIONS JUNE 2010”.</p> <p>The appliance must be fitted with a mechanical stop to prevent closure of the air slide beyond the 30mm open position.</p>	Wood logs ⁽¹⁾ .
<p>Westfire Uniq 21 stove, Westfire Uniq 21 pedestal stove and Westfire Uniq 21 wall hung stove.</p> <p>Manufactured by Westfire APS, Tømmervej 3, DK-6800 Varde, Denmark.</p>	<p>The Westfire WF21 installation manual and operating instructions and supplementary instruction manual reference “Westfire supplementary instructions June 2011/Version 1” dated 1st June 2011.</p> <p>The appliance must be fitted with a permanent stop to prevent closure of the</p>	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
	secondary air control less than 60% open.	
Westfire Uniq 26 stove, Westfire Uniq 27 stove and Westfire Uniq 28 stove. Manufactured by Westfire APS, Tømrervej 3, DK-6800 Varde, Denmark.	The Westfire WF26, WF27, WF28 installation manual and operating instructions and supplementary instruction manual reference “Westfire supplementary instructions June 2011/Version 1” dated 1st June 2011. The appliance must be fitted with a permanent stop to the secondary air slider control to prevent closure more than 20mm from the fully closed position.	Wood logs ⁽¹⁾ .
Westfire Uniq 32 Inset stove and Westfire Uniq 32 Freestanding stove. Manufactured by Westfire APS, Tømrervej 3, DK-6800 Varde, Denmark.	The Westfire WF23/Uniq23, WF32/Uniq 32 inset stove installation manual and operating instructions and supplementary instruction manual reference “Westfire supplementary instructions June 2011/Version 1” dated 1st June 2011. The appliance must be fitted with a permanent stop to prevent closure of the secondary air control less than 50% open.	Wood logs ⁽¹⁾ .
The Windhager Bio Win 90 and 120. Manufactured by Windhager Zentralheizung GmbH, Anton- Windhager-Str. 20, A-5201 Seekirchen bei Salzburg, Austria.	The manufacturer’s instructions dated August 2008, reference 092125/00.	Wood pellets ⁽¹⁾ .
The Windhager Bio Win 100, 150, 210 and 260. Manufactured by Windhager Zentralheizung GmbH, Anton-	The manufacturer’s instruction manual dated May 2008, reference 0916197/00.	Wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Windhager-Str. 20, A-5201 Seerkirchen bei Salzburg, Austria.		
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 100; Wood Fired Ovens by Jamie Oliver Ltd's OT Valoriani Ristorante 100. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.8 GR 100 and OT 100 v2" and dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 120; Wood Fired Ovens by Jamie Oliver Ltd's OT Valoriani Ristorante 120. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.9 GR 120 and OT 120 v2" and dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 140; Wood Fired Ovens by Jamie Oliver Ltd's OT Valoriani Ristorante 140. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.10 GR 140 and OT 140 v2" and dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 120x160; Wood Fired Ovens by Jamie Oliver Ltd's OT Valoriani Ristorante 120x160.	The instruction manual reference "OOLinst.11 GR 120x160 and OT 120x160 v2" Dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.		
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 140x160; Wood Fired Ovens by Jamie Oliver Ltd's OT Valoriani Ristorante 140x160. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.12 GR 140x160 and OT 140x160 v2" and dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 140x180; Wood Fired Ovens by Jamie Oliver Ltd's OT Valoriani Ristorante 140x180. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.13 GR 140x180 and OT 140x180 v2" and dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .
Wood Fired Ovens by Jamie Oliver Ltd's GR Valoriani Ristorante 180; Wood Fired Ovens by Jamie Oliver Ltd's OT Valoriani Ristorante 180. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.14 GR 180 and OT 180 v2" and dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Casa 80. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.1 FVR 80 v2" and dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Casa 100. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.2 FVR 100 v2" and dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Casa 110. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.3 FVR 110 v2" and dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Casa 110x160. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.5 FVR 110x160 v2" and dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Casa 120. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.4 FVR120 v2" and dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Piccolo. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.15 Valoriani Piccolo v2" and dated January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .
Wood Fired Ovens by Jamie Oliver Ltd's Valoriani Villa 100. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	The instruction manual reference "OOLinst.6 TOP 100 v2 Dated" January 2011.	Untreated wood of less than 20% moisture ⁽¹⁾ .
Wood Fired Ovens by Jamie	The instruction manual	Untreated wood of less than

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Oliver Ltd's Valoriani Villa 120. Manufactured by Valoriani of Via Caselli alla Fornace, 213, 50066 Reggello, Firenze, Italy.	reference "OOLinst.7 TOP 120 v2 Dated" January 2011.	20% moisture ⁽¹⁾ .
Woodpecker 15, 25 and 45 wood pellet boilers. Formerly manufactured by Garranlea Renewables Ltd, and now manufactured by Woodpecker Energy UK, Abbey Manor Business Centre, Preston Road, Yeovil, BA20 2FJ	The instruction manual reference "Europe Issue 4" dated July 2010.	Wood pellets conforming to CEN TS 14961 ⁽¹⁾ .
Woodpecker 50kW wood pellet boilers. Manufactured by Woodpecker Energy UK, Abbey Manor Business Centre, Preston Road, Yeovil, BA20 2EN.	Instruction manual reference "Installation and Operating Manual Woodpecker 50 Model Wood Pellet Boiler System Version 2 dated May 2012.	Wood pellets conforming to CEN TS 14961 (a) ⁽¹⁾ .
Woodpecker Thermon 150 boiler. Manufactured by Woodpecker Energy UK, Abbey Manor Business Centre, Preston Road, Yeovil, BA20 2FJ	Instruction manual reference "Thermon Europe Issue 1" dated January 201.1	6mm wood pellets ⁽¹⁾ .
Woodpecker Thermon 199 kW pellet boiler. Manufactured by Woodpecker Energy UK, Abbey Manor Business Centre, Preston Road, Yeovil, BA20 2EN.	Instruction manual reference "Issue 2.0" dated February 2012.	6mm wood pellets ⁽¹⁾ .
Woodpecker Thermon 200 boiler. Manufactured by Woodpecker Energy UK, Abbey Manor Business Centre, Preston Road, Yeovil, BA20 2FJ	Instruction manual reference "Thermon Europe Issue 1" dated January 2011.	6mm wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Woodpecker Thermon 250 boiler. Manufactured by Woodpecker Energy UK, Abbey Manor Business Centre, Preston Road, Yeovil, BA20 2FJ	Instruction manual reference “Thermon Europe Issue 1” dated January 2011.	6mm wood pellets ⁽¹⁾ .
Woodpecker Thermon 300 boiler. Manufactured by Woodpecker Energy UK, Abbey Manor Business Centre, Preston Road, Yeovil, BA20 2FJ.	Instruction manual reference “Thermon Europe Issue 1” dated January 2011.	6mm wood pellets ⁽¹⁾ .
The Wood Waste Technology Ltd WT5. Manufactured by Wood Waste Technology Units 1 and 2, Drummond Road, Astonfields Industrial Estate, Stafford, Staffordshire, ST16 3HJ.	The manufacturer’s instructions dated 16 February 2009, reference WT5_v2.	Medium density fibreboard, chipboard, hardwood or softwood offcuts ⁽¹⁾ .
The Wood Waste Technology Heater, models WT10 and WT15. Manufactured by Wood Waste Technology Units 1 and 2, Drummond Road, Astonfields Industrial Estate, Stafford, Staffordshire, ST16 3HJ.	The manufacturer’s instructions dated 19 January 2005, reference WT10 and WT15.	Medium density fibreboard, chipboard, hardwood or softwood offcuts ⁽¹⁾ .
WTA WT Auto 200 kW Airheater. Manufactured by Wood Waste Technology Ltd of Stafford, Units 1, 2 & 3, Drummond Road, Astonfields Industrial Estate, Stafford, ST16 3HJ.	The instruction manual reference “WTA Installation Operation & Maintenance Instructions” WTA v1 Issue A dated April 2011.	Chipboard, medium density fibreboard, softwood, hardwood. All fuels to be chipped to a maximum size of 25mm and a maximum moisture content of 20%. Maximum fines (sawdust) content 5%. ⁽¹⁾ .
WTH 150 and WTH 200 boilers.	The manufacturer's installation manual “version 91 for Large Capacity Boiler WTH 150-200.	Wood chips or wood pellets ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Manufactured by Hargassner Gesellschaft mit beschränkter Haftung (GmbH), Gunderding 8, A-4952, Weng, Austria.	Reference BA GK V90b 0309”.	
Xeoos 5kW stove Versions: Natur, Style, Harmony, Pur, Classic, Elegance and Stone. Xeoos 8kW stove Versions: Basic, Pur, Classic, Elegance Stone and Air. Manufactured by Specht Modulare Ofensysteme GmbH & Co, KG i.V. Dipl.-Ing. Frank Werner Projektmanagement Bahnhofstr, 2 D 35116 Hatzfeld	The manufacturer’s “operating and installation instructions Xeoos 5k W/8kW model 2008” reference “Revisions – Index 01/08 Fassung Januar 2008”.	Wood logs conforming to DIN 51731 ⁽¹⁾ .
Yeoman CL3 (3.8 kW) and CL5 (4.9 kW) multifuel stoves; Yeoman CL5 (4.9 kW) wood Stove. Manufactured by Stovax Ltd, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference “PM489 Issue 1” dated June 2010 and smoke control kit instruction manual “PM491 Issue 1” dated 5 April 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position.	Wood logs ⁽¹⁾ .
Yeoman CL 7 (7 kW) inset appliance Product code YM-CL7NMF. Manufactured by Stovax Ltd, Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference “PM553 - Issue 1” dated June 2011 and smoke control kit instruction manual reference “PM491 Issue 2” dated June 2011. A permanent stop must be in place on the secondary air inlet to prevent closure beyond the 50% open position.	Wood logs ⁽¹⁾ .
Yeoman CL Milner Stove Product code YM-CLMB. Manufactured by Stovax Ltd, Falcon Road, Sowton Industrial	The instruction manual reference “PM559 - Issue 1” dated June 2011 and smoke control kit instruction manual reference “PM491 Issue 2”	Wood logs ⁽¹⁾ .

<i>Fireplace</i>	<i>Conditions</i>	
	<i>The fireplace must be installed, maintained and operated in accordance with the following specifications:</i>	<i>No fuel is to be used in the fireplace other than authorised fuels and the following fuel or fuels:</i>
Estate, Exeter, Devon, EX2 7LF.	dated June 2011. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position.	
Yeoman Devon - Multifuel, flat top, 1 door (9kW); Yeoman Devon - Multifuel, flat top, 2 door (9kW); Yeoman Devon - Multifuel, low canopy, 1 door (9kW); Yeoman Devon - Multifuel, low canopy, 2 door (9kW); Yeoman Devon - Multifuel, high canopy, 1 door (9kW); Yeoman Devon - Multifuel, high canopy, 2 door (9kW). Manufactured by Stovax Ltd; Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference "PM184 Issue 3" dated February 2008 and smoke control kit instruction manual "PM403 Issue 1" dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 50% open position and a system that ensures a gap of 1mm for bleed of primary air when the spin wheels are rotated to their closed positions must be fitted.	Wood logs ⁽¹⁾ .
Yeoman Exmoor - Multifuel, flat top (4.9kW); Yeoman Exmoor - Multifuel, low canopy (4.9kW); Yeoman Exe - Multifuel, flat top, 1 door (4.9kW); Yeoman Exe - Multifuel, flat top, 2 door (4.9kW); Yeoman Exe - Multifuel, low canopy, 1 door (4.9kW); Yeoman Exe - Multifuel, low canopy, 2 door (4.9kW); Manufactured by Stovax Ltd; Falcon Road, Sowton Industrial Estate, Exeter, Devon, EX2 7LF.	The instruction manual reference "PM184 Issue 3" dated February 2008 and smoke control kit instruction manual "PM403 Issue 1" dated January 2010. A permanent stop must be positioned to prevent closure of the secondary air control below the 60% open position and a system that prevents full closure of the primary air controls must be fitted.	Wood logs ⁽¹⁾ .

⁽¹⁾ The fuel must not contain halogenated organic compounds or heavy metals as a result of treatment with wood-preservatives or coatings.